

## Label for ME ... UT ... BUS ... housing - EML (44X64)R-ME - 0828266

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Label for ME ... UT ... BUS ... housing, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK X1.2, Mounting type: Adhesive, Lettering field: 44 x 64 mm

### Key Commercial Data

|                      |          |
|----------------------|----------|
| Packing unit         | 1 pc     |
| Custom tariff number | 39191080 |
| Country of origin    | Germany  |

### Technical data

#### Dimensions

|            |       |
|------------|-------|
| Length (b) | 44 mm |
| Width (a)  | 64 mm |

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 150 °C |
| Ambient temperature (assembly)  | > 5 °C            |

#### General

|                       |                                |
|-----------------------|--------------------------------|
| Color                 | white                          |
| Components            | free from silicone and halogen |
| Material              | Polyester                      |
| Wipe resistance       | DIN EN 61010-1 (VDE 0411-1)    |
| Marking mounting type | Adhesive                       |

### Standards and Regulations

|                 |                             |
|-----------------|-----------------------------|
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
|-----------------|-----------------------------|

### Classifications

eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 24190219 |
|------------|----------|

## Label for ME ... UT ... BUS ... housing - EML (44X64)R-ME - 0828266

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.1 | 24190219 |
| eCl@ss 5.0 | 27141137 |
| eCl@ss 5.1 | 27141137 |
| eCl@ss 6.0 | 27141137 |
| eCl@ss 7.0 | 27141137 |
| eCl@ss 8.0 | 27149129 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 5.0 | EC001288 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39121410 |

### Approvals

#### Approvals

---

#### Approvals

#### UL Recognized

---

#### Ex Approvals

---

#### Approvals submitted

---

#### Approval details

|                                                                                                   |
|---------------------------------------------------------------------------------------------------|
| UL Recognized  |
|---------------------------------------------------------------------------------------------------|



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)