

## Replacement die - CF 500/DIE AI 25 - 1212239

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Die for crimping machine CF 500, for ferrules (A... and AI...) 10.16 and 25 mm<sup>2</sup>



### Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	40.0 GRM
Custom tariff number	84799080
Country of origin	Germany

### Technical data

#### General

Compression	WM crimp
Min. cross section	10.16 mm <sup>2</sup>
Max. cross section	25 mm <sup>2</sup>

### Classifications

#### eCl@ss

eCl@ss 4.0	21043074
eCl@ss 4.1	21043074
eCl@ss 5.0	21043290
eCl@ss 5.1	21059090
eCl@ss 6.0	17130101
eCl@ss 7.0	17130101
eCl@ss 8.0	17130101

#### ETIM

ETIM 3.0	EC001186
ETIM 4.0	EC001282

## Replacement die - CF 500/DIE AI 25 - 1212239

### Classifications

#### ETIM

ETIM 5.0	EC001282
----------	----------

#### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	27111518
UNSPSC 13.2	39121410

© Phoenix Contact 2013 - all rights reserved  
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)