

Stripping tool - WIREFOX-D SR 6-1 - 1212511

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Stripping tool, for standard 2.5, 4, and 6 mm² solar cables, with 15 mm length stop, for SUNCLIX field connectors

Product Features

- ✓ Large selection of precision stripping tools
- ✓ The right tool for every application

Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	51.0 GRM
Custom tariff number	82032000
Country of origin	Sweden

Technical data

Dimensions

Length (b)	83 mm
Height	43 mm
Width (a)	22 mm

General

Color	black
-------	-------

Classifications

eCl@ss

eCl@ss 4.0	21040302
eCl@ss 4.1	21040302
eCl@ss 5.0	21040302
eCl@ss 5.1	21040302
eCl@ss 6.0	21043711

Stripping tool - WIREFOX-D SR 6-1 - 1212511

Classifications

eCl@ss

eCl@ss 7.0	21043711
eCl@ss 8.0	21043711

ETIM

ETIM 4.0	EC000165
ETIM 5.0	EC000163

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Approvals

Approvals

Approvals

GOST

Ex Approvals

Approvals submitted

Approval details

GOST 
--

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)