


# CARRIER-EMP (60X30)

Order No.: 0827454




<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0827454>

Marker carrier for snap-in plastic labels

Commercial data	
GTIN (EAN)	
sales group	B138
Pack	30 pcs.
Customs tariff	39269097
Catalog page information	Page 579 (CL-2009)

**Product notes**

WEEE/RoHS-compliant since:  
08/21/2008



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

General	
Length (b)	32.2 mm
Height	6 mm
Width (a)	63.2 mm
Color	black
Inflammability class acc. to UL 94	V2

Ambient temperature (operation)	-40 °C ... 105 °C
Components	free from silicone and halogen
Material	PA

#### Accessories

Item	Designation	Description
<b>Marking</b>		
0822275	UC-EMP (60X30)	UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER
0824571	UC-EMP (60X30) CUS	UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER
0827648	UC-EMP (60X30) SR	UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER
0827658	UC-EMP (60X30) SR CUS	UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER
0825331	UC-EMP (60X30) YE	UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER
0826687	UC-EMP (60X30) YE CUS	UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)