PHŒNIX CONTACT

Marker for end clamp - UCT-TMC (30X8) - 1278515

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Marker for end clamp, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snap in, lettering field size: 30 x 8 mm, Number of individual labels: 5

Figure shows marker (white) for end bracket E/NS 35 N

Your advantages

☑ The UCT-TMC (30X8) ... UniCard marking card provides markers for the E/NS 35 N ... end bracket

☑ The sheets provide additional space for project information and function text that can be helpful during further assembly

☑ The clip geometry enables the easy mounting and removal of the markers. For removal, the marker can be levered out with a screwdriver and the recess on the marker or simply unclipped, for example.

☑ The markers, which are supplied in uniform sheets, can be marked quickly, easily, and precisely using the card printers

☑ Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications

RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	
GTIN	4063151475499
Weight per Piece (excluding packing)	11.420 g
Custom tariff number	39269097
Country of origin	Poland

Technical data

Dimensions

Length (b)	30 mm
Width (a)	8 mm

PHŒNIX CONTACT

Marker for end clamp - UCT-TMC (30X8) - 1278515

Technical data

Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C

General

Color	white
Components	free from silicone and halogen
Material	PC
Flammability rating according to UL 94	V2
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Number of individual labels	5
Number of individual labels per row	1
Mounting type	snap in
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Testing substances harmful to the wetting properties of lacquers (LABS conformity)	VW PV 3.10.7:2005-02
Result	Test passed
Result	Test passed
UV resistance	Following ISO 4892-2:2013-03
Result	Test passed
Test duration	96 h
Temperature storage	IEC 60068-2-2:2007-07
Result	Test passed
Duration	96 h
Temperature for testing	120 °C
Test for wipe resistance of inscriptions	DIN EN 61010-1 (VDE 0411-01):2020-03
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Testing in a condensation changing climate in the presence of sulfur dioxide	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1,0 S
Cycles	2
Salt spray test	DIN EN 60068-2-11:2000-02
Result	Test passed
Test duration	96 h

PHŒNIX CONTACT

Marker for end clamp - UCT-TMC (30X8) - 1278515

Classifications

eCl@ss

eCl@ss 11.0	27281101

Accessories

Accessories

End block

End clamp - E/NS 35 N - 0800886

End clamp, width: 9.5 mm, color: gray

End clamp - E/NS 35 N BK - 0804271

End clamp, material: PA, color: black

End clamp - E/NS 35 N BU - 0804376

End clamp, material: PA, color: blue

Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-TC - 0801371

Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

PHŒNIX CONTACT

Marker for end clamp - UCT-TMC (30X8) - 1278515

Accessories

Ink ribbon cartridge - TMP-RIBBON 110 BK 100 - 0803374

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

---

Ink ribbon - THERMOMARK-RIBBON 110/50-TC - 0801384

Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

---

Magazine

Magazine - TMP-UCT-MAG34 - 1281799

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD..., for accommodating UCT-TMC (30x8)

Magazine - TOPMARK LASER-MAG UCT-A - 0803141

Magazine for the TOPMARK LASER, for accommodating UCT material automatically

---

Magazine - TOPMARK LASER-MAG UCT-M - 0803143

Magazine for the TOPMARK LASER, for accommodating UCT material manually

---

PHŒNIX CONTACT

Marker for end clamp - UCT-TMC (30X8) - 1278515

Accessories

Printing system accessories

Ink cartridge - BLUEMARK CLED-FLUID-CARTR. - 5146662

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge

Ink cartridge - BLUEMARK FLUID-CARTRIDGE - 5147421

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge

Ink cartridge - BM ID-CARTR. BK - 1044345

Replacement UV fluid, 23 ml, color: black

Ink cartridge - BM ID-CARTR. CY - 1044346

Replacement UV fluid, 23 ml, color: cyan

Ink cartridge - BM ID-CARTR. MA - 1044347

Replacement UV fluid, 23 ml, color: magenta

Marker for end clamp - UCT-TMC (30X8) - 1278515

Accessories

Ink cartridge - BM ID-CARTR. YE - 1044348

Replacement UV fluid, 23 ml, color: yellow

单击下面可查看定价，库存，交付和生命周期等信息

>>Phoenix Contact(菲尼克斯)