

Antenna cable - RAD-CAB-PFP600-150 - 2885184

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Antenna cable, outside diameter: 15 mm (0.6 in.), inner conductor: solid, attenuation: 3.9 / 6.8 / 10.4 dB at 0.9 / 2.4 / 5.8 GHz, connection: 2x N (male), cable length: 45 m (150 ft.)



Your advantages

- ✓ Low attenuation
- ✓ UV resistant
- ✓ For outdoor installation



Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 986483
GTIN	4017918986483

Technical data

Dimensions

Fixed cable length	45 m
External diameter	14.00 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

General

Connection 1	Connector connection
Connection method	N (male)
Note	Both sides
Cable type	PFP-600
Outer sheath, material	PE
External sheath, color	black

Antenna cable - RAD-CAB-PFP600-150 - 2885184

Technical data

General

Minimum bending radius	38.00 mm
Frequency range	400 MHz ... 5.8 GHz
Impedance	50 Ω

Attenuation

868 / 900 MHz	3.9 dB
2.4 GHz	6.8 dB
5 GHz	10.4 dB

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Classifications

eCl@ss

eCl@ss 10.0.1	27060310
eCl@ss 11.0	27060310
eCl@ss 4.0	27060800
eCl@ss 4.1	27060800
eCl@ss 5.0	27061800
eCl@ss 5.1	27061800
eCl@ss 6.0	27061800
eCl@ss 7.0	27061805
eCl@ss 9.0	27060310

ETIM

ETIM 2.0	EC000019
ETIM 3.0	EC000019
ETIM 4.0	EC000019
ETIM 6.0	EC001682
ETIM 7.0	EC001682

UNSPSC

UNSPSC 6.01	26121608
UNSPSC 7.0901	26121608
UNSPSC 11	26121608
UNSPSC 12.01	26121608
UNSPSC 13.2	26121606
UNSPSC 18.0	26121606
UNSPSC 19.0	26121606

Antenna cable - RAD-CAB-PFP600-150 - 2885184

Classifications

UNSPSC

UNSPSC 20.0	26121606
UNSPSC 21.0	26121600

Phoenix Contact 2022 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)