

DIN rail - NS 35/ 7,5 PERF (18X5,2) 2000M - 1210019

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



NS 35 DIN rail, according to customer specifications, perforated, height: 7,5 mm, width: 35 mm

The illustration shows a version of the product

Key commercial data

Packing unit	1 m
Minimum order quantity	5 m
Custom tariff number	72166190
Country of origin	Germany

Technical data

Dimensions

Height	7.5 mm
Length	2000 mm
Width	35 mm

General

Coating	Galvanized, passivated with a thick layer
Color	silver

Classifications

eCl@ss

eCl@ss 4.0	27110804
eCl@ss 4.1	27110804
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27141143
eCl@ss 7.0	27141143

DIN rail - NS 35/ 7,5 PERF (18X5,2) 2000M - 1210019

Classifications

eCl@ss

eCl@ss 8.0	27141143
------------	----------

ETIM

ETIM 2.0	EC001285
ETIM 3.0	EC001285
ETIM 4.0	EC001285
ETIM 5.0	EC001285

UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact \(菲尼克斯\)](#)