

## Adapter - HC-B-TA-PG16-ER-AL - 1414261

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Adapter, aluminum, for EVO housing, Pg 16 thread



### Key Commercial Data

Packing unit	1 pc
Custom tariff number	85389099
Country of origin	Germany

### Technical data

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

#### General

Material	Die-cast aluminum, corrosion-resistant
Housing material	Die-cast aluminum, corrosion resistant
Shielded	Yes
Thread type on connection side	Bayonet B metal
Thread type on seal side	Pg16
Torque	7.5 Nm (Tightening torque of screw connection to be screwed in)

### Classifications

#### eCl@ss

eCl@ss 5.1	27143424
eCl@ss 6.0	27261207

## Adapter - HC-B-TA-PG16-ER-AL - 1414261

### Classifications

ETIM

ETIM 5.0	EC002635
----------	----------

### Approvals

Approvals

Approvals

EAC

Ex Approvals


Approvals submitted

### Approval details

EAC
-----

### Drawings

Dimensional drawing



Dimensional drawing

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)