

## Screw connection - WP-GT BRASS M10 - 3241030

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland made from brass with metric thread, rotatable, IP40 protection

### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 STK    |
| Minimum order quantity               | 10 STK   |
| Weight per Piece (excluding packing) | 14.0 g   |
| Custom tariff number                 | 74122000 |
| Country of origin                    | Germany  |

### Technical data

#### Dimensions

|                  |          |
|------------------|----------|
| Width (a)        | 17 mm    |
| Height           | 32 mm    |
| Wrench size      | 15.00 mm |
| Outside diameter | 10.00 mm |

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 250 °C |
| Degree of protection            | IP40              |

#### General

|            |              |
|------------|--------------|
| Color      | Brass        |
| Type       | Rotatable    |
|            | Outer thread |
| Components | Halogen-free |
| Material   | Brass        |

## Screw connection - WP-GT BRASS M10 - 3241030

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27141209 |
| eCl@ss 4.1 | 27141209 |
| eCl@ss 5.0 | 21132007 |
| eCl@ss 5.1 | 21132007 |
| eCl@ss 6.0 | 21132007 |
| eCl@ss 7.0 | 27439210 |
| eCl@ss 8.0 | 27439203 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000519 |
| ETIM 4.0 | EC000519 |
| ETIM 5.0 | EC001180 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211812 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121411 |
| UNSPSC 12.01  | 39121411 |
| UNSPSC 13.2   | 39121411 |

### Approvals

#### Approvals

Approvals

VDE Zeichengenehmigung

Ex Approvals

Approvals submitted

#### Approval details

|                                                                                                            |
|------------------------------------------------------------------------------------------------------------|
| VDE Zeichengenehmigung  |
|------------------------------------------------------------------------------------------------------------|

## Screw connection - WP-GT BRASS M10 - 3241030

### Accessories

#### Accessories

#### Corrugated pipe

Protective hose - WP-STEEL ZC 10 - 3240697



Protective hose in galvanized steel

---

Protective hose - WP-STEEL S 10 - 3240686



Protective hose in stainless steel

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)