

Crimp contact - SF-10KS010 - 1605481

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Crimp contact, Wire spring, Single contact, Contact diameter: 1 mm, Crimp range: 0.14 mm²...1 mm²

Key commercial data

Packing unit	1 PCE
GTIN	 4 046356 182133
Custom tariff number	85389099
Country of origin	GERMANY

Technical data

Technical data

Contact type	Wire spring
Contact diameter	1 mm
Contact type	Socket
Connection type	Crimp connection
Insertion/withdrawal cycles mechanical	50
Litz wire cross section min.	0.14 mm²
Litz wire cross section max.	1 mm²

Classifications

ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC000796
ETIM 5.0	EC000796

UNSPSC

UNSPSC 11	43172015
-----------	----------

Crimp contact - SF-10KS010 - 1605481

Classifications

UNSPSC

UNSPSC 12.01	43201404
UNSPSC 13.2	43201404
UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260708
eCl@ss 7.0	27440312

Approvals

Approvals

Approvals

GOST

Ex Approvals

Approvals submitted

Approval details

GOST 
--

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)