

APK 1


Order No.: 5022795

The illustration shows a combination of versions APK 1, APK-HP and APK -TU



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5022795>

Hinged cover profile, permits hinged covering of terminal strips when used with cover holder APK-TU and holding profile APK-HP; snaps into the holding profile APK-HP, dimensions: 95 x 50 mm

Commercial data	
GTIN (EAN)	 4 017918 095291
sales group	B232
Pack	10 pcs.
Customs tariff	39162000
Catalog page information	Page 704 (CL-2009)

Product notes

WEEE/RoHS-compliant since:
01/01/2003




<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
General	
Length (b)	50 mm
Width (a)	95 mm
Color	transparent
Inflammability class acc. to UL 94	V2

Ambient temperature (operation)	-40 °C ... 115 °C
Components	free from silicone and halogen
Material	Polycarbonate PC

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)