


Covering hood - CF 500/COV RCI - 1212255


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Protective cover for crimping machine CF 500, for insulated cable lugs 0.14 - 6 mm² (RCI 1.5/6) and turned contacts 0.14 - 4 mm² (TC 4)



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 450171
GTIN	4046356450171

Technical data

Dimensions

Length (b)	105 mm
Width (a)	22.5 mm
Height (c)	70 mm

General

Color	transparent
Material	Plastic
Min. cross section	0.14 mm ²
Max. cross section	6 mm ²
AWG min	26
AWG max	10

Classifications

eCl@ss

eCl@ss 10.0.1	17139201
eCl@ss 11.0	17130192
eCl@ss 4.0	27141100

Covering hood - CF 500/COV RCI - 1212255

Classifications

eCl@ss

eCl@ss 4.1	27141100
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141190
eCl@ss 9.0	17139201

ETIM

ETIM 3.0	EC001186
ETIM 4.0	EC002498
ETIM 6.0	EC002848
ETIM 7.0	EC002778

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518
UNSPSC 18.0	27111518
UNSPSC 19.0	27111518
UNSPSC 20.0	27111518
UNSPSC 21.0	27111500

Approvals


Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU C- DE.AI30.B.01549
-----	---	--------------------------

Phoenix Contact 2022 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)