

## Sensor/Actuator cable - SAC-3P- 5,0-PVC/M12FS - 1400505

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Sensor/Actuator cable, 3-position, PVC, Black RAL 9005, Free cable end, on Socket straight M12, A-coded, Cable length: 5 m

### Key commercial data

|                        |                                                                                                       |
|------------------------|-------------------------------------------------------------------------------------------------------|
| Packing unit           | 0                                                                                                     |
| Minimum order quantity | 50                                                                                                    |
| GTIN                   | <br>4 046356 498999 |
| Custom tariff number   | 85444290                                                                                              |
| Country of origin      | GERMANY                                                                                               |

### Classifications

#### eclass

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27060306 |
| eCl@ss 4.1 | 27060306 |
| eCl@ss 5.0 | 27061801 |
| eCl@ss 5.1 | 27061801 |
| eCl@ss 6.0 | 27061801 |
| eCl@ss 7.0 | 27061801 |

#### etim

|          |          |
|----------|----------|
| ETIM 3.0 | EC001855 |
| ETIM 4.0 | EC001855 |

#### unspsc

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 31251501 |
| UNSPSC 7.0901 | 31251501 |
| UNSPSC 11     | 31251501 |
| UNSPSC 12.01  | 31251501 |
| UNSPSC 13.2   | 31251501 |

### Approvals

#### Approvals

# Sensor/Actuator cable - SAC-3P- 5,0-PVC/M12FS - 1400505

## Approvals

Approvals

UL Listed / cUL Listed / cUL Listed

Ex Approvals

Approvals submitted

## Approval details


|                                                                                             |       |
|---------------------------------------------------------------------------------------------|-------|
| UL Listed  |       |
| Nominal current I <sub>N</sub>                                                              | 4 A   |
| Nominal voltage U <sub>N</sub>                                                              | 300 V |

|                                                                                                |       |
|------------------------------------------------------------------------------------------------|-------|
| cUL Listed  |       |
| Nominal current I <sub>N</sub>                                                                 | 4 A   |
| Nominal voltage U <sub>N</sub>                                                                 | 300 V |

|                                                                                                |  |
|------------------------------------------------------------------------------------------------|--|
| cUL Listed  |  |
|------------------------------------------------------------------------------------------------|--|


## Drawings

Schematic diagram



Pin assignment M12 socket, 3-pos., A-coded, view female side


Cable cross section




PVC black [PVC]

## Sensor/Actuator cable - SAC-3P- 5,0-PVC/M12FS - 1400505

Dimensioned drawing



Circuit diagram



M12 x 1 female connector, straight

Contact assignment of the M12 socket

© Phoenix Contact 2012 - all rights reserved  
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)