

Crimping pliers - CRIMPFOX-CX 4,52 - 1212094

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Crimping pliers, for coaxial connectors, 3.25 mm, 4.52 mm, 1.69 mm, HEX crimp

Why buy this product

- ☒ Lateral conductor entry
- ☒ Unlockable pressure lock

Key commercial data

Packing unit	0
Minimum order quantity	1
Catalog page	Page 278 (CL2-2011)
GTIN	 4 046356 453868
Custom tariff number	82032000
Country of origin	SWEDEN

Technical data

General

Length (b)	198 mm
Height	59 mm
Width (a)	18 mm
Weight	350 g
Die station	Crimping position 1 3.25 mm 0.128 "
Die station	Crimping position 2 4.52 mm 0.178 "
Die station	Crimping position 3 1.69 mm 0.67 "
Die station	Crimping position 4
Die station	Crimping position 5
Compression	HEX crimp
Type of contact	Coaxial connectors

Crimping pliers - CRIMPFOX-CX 4,52 - 1212094

Classifications

eclass

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21043811
eCl@ss 7.0	21043811

etim

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186

unspsc

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518

Approvals

Approvals

Approvals

GOST

Ex Approvals

Approvals submitted

Approval details

GOST 
--

Accessories

Accessories

Tools

Crimping pliers - CRIMPFOX-CX 4,52 - 1212094

Accessories

Replacement die - CRIMPFOX-CX 4,52/DIE - 1212284



Spare die for CRIMPFOX-CX 4,52


Replacement spring - CRIMPFOX/ SPR-3 - 1212036



Spare recuperating spring

Drawings

Product drawing



© Phoenix Contact 2012 - all rights reserved
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)