

Protective cap - VS-PPC-F2-PC-POBK - 1405329

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Protective cap, IP65, with push-pull locking for covering the contact insert in the push-pull connector for Power, plastic

Protective cover

Product description

Protective cap for Push-Pull connector, Power



Key commercial data

Packing unit	1 PCE
GTIN	 4 046356 420426
Custom tariff number	85472000
Country of origin	GERMANY

Technical data

Mechanical characteristics

Locking type	Push Pull
Ambient temperature (operation)	-40 °C ... 70 °C

Ambient conditions

Ambient temperature (operation)	-40 °C ... 70 °C
Degree of protection	IP65

Material data

Material	Plastic
----------	---------

Protective cap - VS-PPC-F2-PC-POBK - 1405329

Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27261290
eCl@ss 7.0	27440290
eCl@ss 8.0	27440290

ETIM


ETIM 3.0	EC000723
ETIM 4.0	EC002314
ETIM 5.0	EC002314

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Drawings

Dimensioned drawing



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)