

Cable gland - HC-B-GM5X8,5-M40-ET-AL - 1414649

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



EVO metal cable gland with bayonet locking; size M40, for 5 conductors with 8.5 mm cable diameter

Product Description

Metal cable gland



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	140.0 g
Custom tariff number	85389099
Country of origin	Germany

Technical data

Ambient conditions

Degree of protection	IP66 (Cable diameter 8.5 mm ± 0.1 mm)
Ambient temperature (operation)	-30 °C ... 100 °C

General

Material	Die-cast aluminum, corrosion-resistant
Housing material	Die-cast aluminum, corrosion resistant
Cable gland material	Aluminum
Material, pressure screw	Brass
Thread type on connection side	Bayonet
Thread type on seal side	M40

Cable gland - HC-B-GM5X8,5-M40-ET-AL - 1414649

Classifications

eCl@ss

eCl@ss 5.1	27143424
eCl@ss 6.0	27261207

ETIM

ETIM 5.0	EC000441
----------	----------

Approvals

Approvals

Approvals

EAC

Ex Approvals


Approvals submitted

Approval details

EAC

Drawings

Dimensional drawing



Dimensional drawing

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)