

Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Cable clamp for cable diameter of 5 - 7 mm



Key commercial data

Packing unit	1 PCE
Minimum order quantity	2 PCE
GTIN	 4 046356 527958
Custom tariff number	85389099
Country of origin	GERMANY

Technical data

Electrical characteristics

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

Mechanical characteristics

External cable diameter	5 mm ... 7 mm
-------------------------	---------------

Classifications

ETIM

ETIM 3.0	EC000127
ETIM 4.0	EC000127
ETIM 5.0	EC002498

UNSPSC

UNSPSC 11	43172601
-----------	----------

Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

Classifications

UNSPSC

UNSPSC 12.01	39121408
UNSPSC 13.2	39121408
UNSPSC 6.01	43172601
UNSPSC 7.0901	39121416

eCl@ss

eCl@ss 4.0	27279002
eCl@ss 4.1	27279002
eCl@ss 5.0	27140908
eCl@ss 5.1	27140908
eCl@ss 6.0	27261290
eCl@ss 7.0	27440290

Approvals

Approvals


Approvals

GOST

Ex Approvals

Approvals submitted


Approval details

GOST 
--

Drawings

Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

Dimensioned drawing



© Phoenix Contact 2013 - all rights reserved
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact \(菲尼克斯\)](#)