

IBS RBC METER-T

Order No.: 2806286

The illustration shows the versions standard, highly flexible and remote bus
cables for underground runs



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2806286>

Remote bus cable for permanent installation, sold by the meter

Commercial data

GTIN (EAN)	 4 017918 074791
Note	Made-to-order
sales group	K900
Pack	1 m
Customs tariff	85444993
Catalog page information	Page 417 (AX-2009)

Product notes

WEEE/RoHS-compliant since:
03/30/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

External sheath

Outer sheath, material	Special mixture on PVC base
External sheath, color	Green RAL 6017
External diameter	7.2 mm

Single wire

Individual wires per module	6
Single wire, color	Color-coded DIN 47100
Structural data	7-strand Litz wires

Mechanical properties

Smallest bending radius, fixed installation	8 x 7.2 mm
Ambient temperature (storage/transport)	-30 °C ... 70 °C

Certificates / Approvals



Certification

GOST

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)