


# Battery - TMP/ACCU - 0803668

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Replacement battery for the THERMOMARK PRIME, NiMH 18 V DC, 2.1 Ah

## Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 247762
GTIN	4055626247762

## Technical data

### Ambient conditions

Recommended storage conditions	0 ... 45 °C / 45 ... 85 % relative humidity.
--------------------------------	--

### General

Battery-operated voltage	18.00 V
Battery technology	NiMH
Battery capacity	2.1 Ah

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Classifications

### eCl@ss

eCl@ss 10.0.1	21059207
eCl@ss 11.0	21052902
eCl@ss 5.1	21059200
eCl@ss 7.0	21059207
eCl@ss 9.0	21059207

### ETIM

ETIM 6.0	EC001199
----------	----------

# Battery - TMP/ACCU - 0803668

## Classifications

### ETIM

ETIM 7.0	EC001199
----------	----------

### UNSPSC

UNSPSC 18.0	26111701
UNSPSC 19.0	26111701
UNSPSC 20.0	26111701
UNSPSC 21.0	26111700

## Approvals


### Approvals

Approvals

UL Recognized

Ex Approvals

### Approval details

UL Recognized		<a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm</a>	UL-Recognized
---------------	---	---	---------------

Phoenix Contact 2022 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)