

Conductor marking collar - PMH 2:SYMBOLE - 0800527

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Conductor marking collar, yellow, labeled, Horizontal: Symbols +, -, /, ~, L1, L2, L3 PE, PEN, Mounting type: Thread on, Cable diameter: 3-6 mm, Lettering field: 4.2 x 2.6 mm

The illustration shows a combination of upper case letters, symbols and figures in versions PMH -0, -2 and -4

Key commercial data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| Minimum order quantity | 100 pc |
| GTIN |  4 017918 006082 |
| Weight per Piece (excluding packing) | 0.31 GRM |
| Custom tariff number | 39269097 |
| Country of origin | Czech Republic |

Technical data

Dimensions

| | |
|------------|--------|
| Length (b) | 6.6 mm |
| Height | 9.5 mm |
| Width (a) | 4.2 mm |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -45 °C ... 70 °C |
| Ambient temperature (assembly) | > 10 °C |

General

| | |
|------------|---|
| Note | Please specify the required marking with order: Minimum order per imprint: 1 packing unit |
| | Please use the order key when ordering. |
| Color | yellow |
| Components | free from silicone, halogen and cadmium |

Conductor marking collar - PMH 2:SYMBOLE - 0800527

Technical data

General

| | |
|---|--|
| Inflammability class according to UL 94 | V0 |
| Material | EVA |
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
| Printing direction | Horizontal |
| Printing | Symbols +, -, /, ~, L1, L2, L3 PE, PEN |
| Marking mounting type | Thread on |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 24190219 |
| eCl@ss 4.1 | 24190219 |
| eCl@ss 5.0 | 27400401 |
| eCl@ss 5.1 | 27400401 |
| eCl@ss 6.0 | 27400401 |
| eCl@ss 7.0 | 27400401 |
| eCl@ss 8.0 | 27400401 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000761 |
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC001530 |
| ETIM 5.0 | EC001530 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11 | 39121410 |
| UNSPSC 12.01 | 39121410 |
| UNSPSC 13.2 | 39121410 |

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)