

Torque screwdriver - TSD-M 1,2NM - 1212224

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Torque screw driver, accuracy as per EN ISO 6789 standard, adjustable from 0.3 - 1.2 Nm

Why buy this product

- High-precision, finely adjustable torque screwdrivers according to EN ISO 6789
- Torque screwdrivers with hexagonal fast connection holder
- TSD-M ... torque screwdrivers are adjustable from 0.3 - 6.0 Nm

Key commercial data

Packing unit	0
Minimum order quantity	1
Catalog page	Page 286 (CL2-2011)
GTIN	 4 046356 455589
Custom tariff number	82054000
Country of origin	CZECH REPUBLIC

Technical data

General

Length (b)	150 mm
Height	36.5 mm
Width (a)	36.5 mm
Color	black

Classifications

eclass

eCl@ss 4.0	21040401
eCl@ss 4.1	21040401
eCl@ss 5.0	21040401
eCl@ss 5.1	21040401
eCl@ss 6.0	21040401
eCl@ss 7.0	21040409

Torque screwdriver - TSD-M 1,2NM - 1212224

Classifications

etim

ETIM 2.0	EC000158
ETIM 3.0	EC000158
ETIM 4.0	EC000158

unspsc

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

Approvals

Approvals

Approvals

GOST

Ex Approvals

Approvals submitted

Approval details



Accessories

Accessories

Tools

Screw insert - BHN 5,5 - 1209965



Nut, hexagonal, 5.5 mm

Torque screwdriver - TSD-M 1,2NM - 1212224

Accessories

Screw insert - BHN 8 - 1209978



Nut, hexagonal, 8 mm

Screw insert - BHN 10 - 1209981



Socket wrench insert, magnetic, hexagonal, 10 mm wrench size, 1/4" drive, suitable for holders according to DIN 3126-F 6,3/ISO 1173

Screw insert - BHN 13 - 1209994



Nut, hexagonal, 13 mm

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600



Adapter bit for TSD-M...torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits

Screw insert - BF 6,3 - 1209936



单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)