

## Counter nut - A-INL-PG11-P-BK - 1424560

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Counter nut, material: PA 6 GF 30, connecting thread: Pg11, color: black



### Key Commercial Data

|              |                                                                                                                   |
|--------------|-------------------------------------------------------------------------------------------------------------------|
| Packing unit | 5 pc                                                                                                              |
| GTIN         | <br>4 0 5 5 6 2 6 3 7 4 6 4 2 |
| GTIN         | 4055626374642                                                                                                     |

### Technical data

#### Dimensions

|                            |         |
|----------------------------|---------|
| Length                     | 5 mm    |
| Connecting thread diameter | 18.6 mm |
| Wrench size, counter nut   | 24 mm   |
| Hexagon angular dimension  | 26 mm   |

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 100 °C |
|---------------------------------|-------------------|

#### General

|                                        |            |
|----------------------------------------|------------|
| Material                               | PA 6 GF 30 |
| Flammability rating according to UL 94 | V2         |
| Thread type on connection side         | Pg11       |
| Color                                  | black      |

### Standards and Regulations

|              |     |
|--------------|-----|
| Halogen-free | yes |
|--------------|-----|

### Environmental Product Compliance

|            |                                                         |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---------------------------------------------------------|

# Counter nut - A-INL-PG11-P-BK - 1424560


## Technical data

### Environmental Product Compliance

|  |                                                |
|--|------------------------------------------------|
|  | No hazardous substances above threshold values |
|--|------------------------------------------------|

## Drawings

Dimensional drawing



## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27144424 |
| eCl@ss 11.0   | 27144424 |
| eCl@ss 5.1    | 27149109 |
| eCl@ss 6.0    | 27149109 |
| eCl@ss 7.0    | 27069219 |
| eCl@ss 9.0    | 27144424 |

### ETIM

|          |          |
|----------|----------|
| ETIM 6.0 | EC000940 |
| ETIM 7.0 | EC000940 |

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 18.0 | 31161716 |
| UNSPSC 19.0 | 31161716 |
| UNSPSC 20.0 | 31161716 |
| UNSPSC 21.0 | 31161700 |

Phoenix Contact 2022 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)