

Sensor/Actuator cable - SAC-3P-M12MS/5,0-PUR/CI-1L-Z - 1400592

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Sensor/Actuator cable, 3-position, PUR, Black-gray RAL 7021, Plug straight M12, on CI valve plug (9.4 mm), Cable length: 5 m

Key commercial data

Packing unit	0
Minimum order quantity	50
GTIN	 4 046356 513241
Custom tariff number	85444290
Country of origin	POLAND

Technical data

General data

Number of positions	3
Length of cable	5 m

General characteristics

Insertion/withdrawal cycles	≥ 100
Status display	1 LED
Protective circuit/component	Z diode

Classifications

eclass

eCl@ss 4.0	27060306
eCl@ss 4.1	27060306
eCl@ss 5.0	27061801
eCl@ss 5.1	27061801
eCl@ss 6.0	27061801
eCl@ss 7.0	27061801

etim

ETIM 3.0	EC001855
ETIM 4.0	EC001855

unspsc

UNSPSC 6.01	31251501
UNSPSC 7.0901	31251501

Sensor/Actuator cable - SAC-3P-M12MS/5,0-PUR/CI-1L-Z - 1400592

Classifications

unspsc

UNSPSC 11	31251501
UNSPSC 12.01	31251501
UNSPSC 13.2	31251501

Accessories

Accessories

Assembly


Screw - SAC-V-SCREW-M3-29 KNURL - 1403779




Fillister head screw with plastic knurl, M3 x 40

Drawings

Schematic diagram



Cable cross section



PUR halogen-free black [PUR]

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)