

Mounting unit - THERMOMARK GO.K MAGNET HOLDER - 0805008

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Magnetic holder for mounting the THERMOMARK GO.K / THERMOFOX mobile printer on metal surfaces, such as a control cabinet.

Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 269122
GTIN	4055626269122

Technical data

Ambient conditions

Ambient temperature (operation)	-5 °C ... 40 °C
---------------------------------	-----------------

Classifications

eCl@ss

eCl@ss 10.0.1	19149290
eCl@ss 11.0	19140192
eCl@ss 4.0	24010402
eCl@ss 4.1	24010402
eCl@ss 5.0	19029102
eCl@ss 5.1	19029102
eCl@ss 6.0	19149200
eCl@ss 7.0	19149290
eCl@ss 9.0	19149290

ETIM

ETIM 3.0	EC001694
ETIM 4.0	EC001694
ETIM 6.0	EC001675
ETIM 7.0	EC001675

Mounting unit - THERMOMARK GO.K MAGNET HOLDER - 0805008

Classifications

UNSPSC

UNSPSC 6.01	43172501
UNSPSC 7.0901	43212107
UNSPSC 11	43172501
UNSPSC 12.01	43212107
UNSPSC 13.2	43211612
UNSPSC 18.0	43211612
UNSPSC 19.0	43211612
UNSPSC 20.0	43211612
UNSPSC 21.0	43211600

Phoenix Contact 2022 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)