


Filler plugs - CEC 2,5

3062757

<https://www.phoenixcontact.com/in/products/3062757>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cover for conductor shaft, 10-pos., for spring cage terminal blocks (ST) and terminal blocks with push-in technology (PT) with a width of 5.2 mm

Filler plugs - CEC 2,5

3062757

<https://www.phoenixcontact.com/in/products/3062757>



Commercial Data

Order Key	3062757
Packing unit	50 pc
Minimum order quantity	50 pc
Sales Key	BE2
Product Key	BE2ZWX
Catalog Page	Page 421 (C-1-2019)
GTIN	4046356661003
Weight per Piece (including packing)	0.163 g
Weight per Piece (excluding packing)	0.126 g
Customs tariff number	39269097
Country of origin	DE

Filler plugs - CEC 2,5



3062757

<https://www.phoenixcontact.com/in/products/3062757>

Technical Data

Product properties

Marking

Number of individual labels	10
Number of individual labels per row	10

Dimensions

Width	5.15 mm
Height	8 mm
Length	5.3 mm

Material specifications

Color	yellow
Material	PA 6.6
Flammability rating according to UL 94	V0

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 85 °C
Ambient temperature (storage/transport)	-25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

Filler plugs - CEC 2,5

3062757

<https://www.phoenixcontact.com/in/products/3062757>



Classifications

ECLASS

ECLASS-9.0	27141137
ECLASS-10.0.1	27141137
ECLASS-11.0	27281101

ETIM

ETIM 6.0	EC000761
----------	----------

UNSPSC

UNSPSC 19.0	39131505
UNSPSC 20.0	39131505
UNSPSC 21.0	39131505

Filler plugs - CEC 2,5

3062757

<https://www.phoenixcontact.com/in/products/3062757>



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in

单击下面可查看定价，库存，交付和生命周期等信息

[>>Phoenix Contact\(菲尼克斯\)](#)