

# XDSL SPLITTER FILTER MODULE

## B8802NL

SmartER series




- POTS CO splitter for standard ADSL / VDSL2 applications
- LPF compliant to ATIS specification TRQ.10.2009 Type A and Type C for short loops (CO)
- Part of a standard series which has footprint compatibility
- For ADSL, ADSL2+, VDSL and VDSL2 applications
- Compliant with Broadband Forum TR-127 standard for VDSL2 applications
- Patented technology US7598837, US7598839, CN1667763, EP1644943, TWI316724, CA2531599

### Electrical Specifications @ 25°C

PARAMETER	FREQUENCY	CO	CPE
POTS Impedance	100 Hz to 4 kHz	900 Ω	600 Ω
POTS Insertion Loss	1 kHz	0.75 dB MAX	0.6 dB MAX
POTS Insertion Loss Dist ortion relative to 1 kHz	200 Hz to 3.4 kHz	0.5 dB to 1.5dB	0.5 dB to 1.5 dB
	3.4 kHz to 4 kHz	1.0 dB to 1.5 dB	1.0 dB to 1.5 dB
POTS Return Loss	200 Hz (SRL-L)	5 dB MIN	5 dB MIN
	1 kHz (ERL)	8 dB MIN	8 dB MIN
	2.2 kHz (SRL-H)	5 dB MIN	5 dB MIN
Longitudinal Balance	200 Hz to 3 kHz	58 dB MIN	58 dB MIN
xDSL Insertion Loss	25 kHz to 32 kHz	55 dB	55 dB
	32 kHz to 12 MHz	65 dB	65 dB
	12 MHz to 30 MHz	55 dB	55 dB
DC Current		100 mA MAX	100 mA MAX
Total DC Resistance		25 Ω MAX	25 Ω MAX

### Mechanical

**B8802NL**



Weight ..... 5.0 grams  
 Tray ..... .80/tray  
 Dimensions:  $\frac{\text{Inches}}{\text{mm}}$   
 Unless otherwise specified, all  
 tolerances are  $\pm \frac{.010}{0,25}$

# XDSL SPLITTER FILTER MODULE


## B8802NL

SmartER series



### Schematic

**B8802NL**



### For More Information:

Pulse Worldwide Headquarters	Pulse Europe	Pulse China Headquarters	Pulse North China	Pulse South Asia	Pulse North Asia
12220 World Trade Dr. San Diego, CA 92128 U.S.A.	Zeppelinstrasse 15 D-71083 Herrenberg Germany	B402, Shenzhen Academy of Aerospace Technology Bldg. 10th Kejinan Rd. High-Tech Zone Nanshan District Shenzen, PR China 518057	Room 2704/2705 Super Ocean Finance Ctr. 2067 Yan An Rd. West Shanghai 200336 China	135 Joo Seng Rd. #03-02 PM Industrial Bldg. Singapore 368363	3F, No. 198 Zhongyuan Rd. Zhongli City Taoyuan County 320 Taiwan R. O. C. Tel: 886 3 4356768 Fax: 886 3 4356823 (Pulse) Fax: 886 3 4356820 (FRE)
<a href="http://www.pulseeng.com">www.pulseeng.com</a> Tel: 858 674 8100 Fax: 858 674 8262	Tel: 49 7032 7806 0 Fax: 49 7032 7806 135	Tel: 86 755 33966678 Fax: 86 755 33966700	Tel: 86 21 62787060 Fax: 86 2162786973	Tel: 65 6287 8998 Fax: 65 6287 8998	

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners.

© Copyright, 2010. Pulse Engineering, Inc. All rights reserved.

单击下面可查看定价，库存，交付和生命周期等信息

[>>Pulse\(普思\)](#)