

TECHNICAL DATA SHEET

Description: LTE 698-3800MHz Outdoor

Omni Antenna

PART NUMBER:LPT698/3800XXXX



Features:

- 698-960/1710-3800 MHz
- Gain 2dBi
- IP67
- Cable and connector variants available
- Magnetic mount
- RoHS Compliant

Applications:

- Transit
- Outdoor vehicular use
- Transportation / Logistics
- High speed data over LTE

All dimensions are in mm / inches

Issue: 1802

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Tel: 1-360-944-7551 Downloaded From Oneyac.com

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Europe Headquarters
Pulse GmbH & Do, KG
Zeppelinstrasse 15
Herrenberg, Germany

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998 1



TECHNICAL DATA SHEET

Description: LTE 698-3800MHz Outdoor

Omni Antenna


PART NUMBER:LPT698/3800XXXX

This document covers all product variants of the following product family

Antennas	Cable Type	Cable Length	Connector	Weight(g)
LPT698/3800MM	RG58 Black	3000mm[118.11inch]	SMA Male	296.6
LPT698/38MM200SMA	LMR200 Black		SMA Male	300
LPT698/3800MMMMCX	RG58 Black		MMCX	300.5

Issue: 1802

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 1-360-944-7551 Downloaded From Oneyac.com

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998





TECHNICAL DATA SHEET

Description: LTE 698-3800MHz Outdoor

Omni Antenna

PART NUMBER:LPT698/3800XXXX

ELECTRICAL SPECIFICATIONS

Antenna Type Monopole

Frequency 698-960/1710-3800MHz

Nominal Impedance $50~\Omega$ VSWR < 2:1 Radiation Pattern Omni Gain $2~\mathrm{dBi}$

Efficiency 50%@698-960MHz; 30%@1710-3800MHz

Polarization Vertical Power Withstanding 45W

MECHANICAL SPECIFICATIONS

Overall Length 94.66mm

Antenna Color / Material Black

Connector type As required
Cable type As required
Cable length 3000mm

Fix system Magnetic fixing

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -40/+85 ° C
Storage Temperature -40/+85 ° C
Ingress Protection IP67
Wind-loading 160 km/h
RoHS Compliant Yes

OTHER SPECIFICATIONS






TECHNICAL DATA SHEET

Description: LTE 698-3800MHz Outdoor


Omni Antenna

PART NUMBER:LPT698/3800XXXX

MECHANICAL DRAWING



DIMENSION UNIT: MM/INCH







TECHNICAL DATA SHEET

Description: LTE 698-3800MHz Outdoor

Omni Antenna

PART NUMBER:LPT698/3800XXXX

TEST SETUP

*VSWR and radiation performance are test on Φ20" ground plane with 118" RG58 cable



TECHNICAL DATA SHEET


Description: LTE 698-3800MHz Outdoor

Omni Antenna


PART NUMBER:LPT698/3800XXXX

CHARTS

VSWR



Peak Gain vs Frequency LPT698/3800XXX Measured with 118" on Φ20" GP







TECHNICAL DATA SHEET


Description: LTE 698-3800MHz Outdoor

Omni Antenna

PART NUMBER:LPT698/3800XXXX

CHARTS

Efficiency vs Frequency LPT698/3800XXX Measured with 118" on Φ20" GP









TECHNICAL DATA SHEET


Description: LTE 698-3800MHz Outdoor

Omni Antenna


PART NUMBER:LPT698/3800XXXX

CHARTS

X-Y plane radiation pattern at LTE low band*



Z-X plane radiation pattern at LTE low band*







TECHNICAL DATA SHEET


Description: LTE 698-3800MHz Outdoor

Omni Antenna


PART NUMBER:LPT698/3800XXXX

CHARTS

Y-Z plane radiation pattern at LTE low band*



X-Y plane radiation pattern at LTE high band*









TECHNICAL DATA SHEET


Description: LTE 698-3800MHz Outdoor

Omni Antenna


PART NUMBER:LPT698/3800XXXX

CHARTS

X-Z plane radiation pattern at LTE high band*



Y-Z plane radiation pattern at LTE high band*





TECHNICAL DATA SHEET


Description: LTE 698-3800MHz Outdoor

Omni Antenna


PART NUMBER:LPT698/3800XXXX

CHARTS

X-Y plane radiation pattern at CBRS band*



X-Z plane radiation pattern at CBRS band*





TECHNICAL DATA SHEET


Description: LTE 698-3800MHz Outdoor

Omni Antenna

PART NUMBER:LPT698/3800XXXX

CHARTS

Y-Z plane radiation pattern at CBRS band*







TECHNICAL DATA SHEET

Description: LTE 698-3800MHz Outdoor

Omni Antenna

PART NUMBER:LPT698/3800XXXX

PACKAGING

1PCS/ Foam bag 12PCS/Carton box







单击下面可查看定价,库存,交付和生命周期等信息

>>Pulse(普思)