
# Wireless External Antenna for 2.4 GHz Application

Pulse Part Number: W1010



#### Features

- Shortest antennas in product line Omnidirectional radiation
- For WLAN devices using WiFi (802.11b/g), Bluetooth®, ZigBee™ and other applications in the ISM 2.4GHz band
- Omnidirectional radiation pattern provides broad 360° coverage
- One-quarter wavelength dipole configuration
- Connection and color options easily integrate with OEM designs

```
Connector
- SMA (Male)
```

Weight 6.3 grams Carton 20/bag; 500/carton

Dimensions: Inches mm

Unless otherwise specified, all tolerances are  $\pm \frac{0.10}{0.25}$ 

### Electrical Specifications @ +25 °C

Note: This part number is lead-free and RoHS compliant. No additional suffix or identifier is required.

Frequency [GHz]	Gain [dBi]	Impedance [Nom]	VSWR	Polarization	Electrical Length	Radiation
2.4 - 2.5	2.0	50 Ω	≤ 2.0	Vertical	1/4, di- pole	Omni

Pulse Finland Oy Takatie 6 90440 Kempele, Finland Tel: +358 207 935 500 Fax: +358 207 935 501 www.pulselectronics.com/products/antennas



LxxxA (xx/xx)


## Wireless External Antenna for 2.4 GHz Application

Pulse Part Number: W1010


### **Application Notes**

Omni-directional antennas provide a uniform, donutshaped, 360° radiation pattern. The omni-directional pattern is suitable for point-to-multipoint broadcasting in all directions. This antenna is primarily used for WLAN applications. However, it can also be used for a variety of other applications withing the spec ified frequency range. When used as an access point, the antenna is ideally located at the center of the coverage area.

### Gain Performance W1010



Vertical Position



Pulse Finland Oy Takatie 6 90440 Kempele, Finland Tel: +358 207 935 500 Fax: +358 207 935 501 www.pulselectronics.com/products/antennas



LxxxA (xx/xx)

单击下面可查看定价,库存,交付和生命周期等信息

>>Pulse(普思)