

Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM



RAZ52211AM (Black)



RAZ52212AM (White)

Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 1-360-944-7551 Downloaded From Oneyac.com Pulse (Suzhou) Wireless Products Co. Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998

Features:

- 2x LTE 644-2700MHz (MiMo)
- 0, 1x, 2x or 3x WiFi 2.4/5GHz
- DSRC
- GNSS Active:
 - Beidou, GPS, Glonass
 - RHCP polarization
 - Amplifier Gain 30dBi
- Size: 88.5 x 195.1 x 92.6mm 3.48 x 7.68 x 3.65 in
- Power withstanding 45W
- Available Models RAZ32011AM = 3 Cable, Black RAZ32012AM = 3 Cable, White RAZ42111AM = 4 Cable, Black RAZ42112AM = 4 Cable, White RAZ52211AM = 5 Cable, Black RAZ52212AM = 5 Cable. White RAZ62311AM = 6 Cable, Black RAZ62312AM = 6 Cable, White

Applications:

- Vehicular use Telematics
- Fleet management
- Trucking
- Navigation, GIS and survey
- Public safety
- Search and Rescue
- Metering, Utility boxes





Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

ELECTRICAL SPECIFICATIONS

Antenna Type	Monopole, measured on Ø1.02	2m (40") ground plane
Frequency (2x LTE)	644-960/1710-2700 MHz	
Frequency (1x, 2x or 3x WiFi)	2400-2500/4900-5925 MHz	
Nominal Impedance	50 Ω	
VSWR	2:1	
Radiation Pattern	Omni	
HPBW / Vertical Plane (LTE, 644-96	0) 42°	
HPBW / Vertical Plane (LTE, 1710-2	700) 31°	
HPBW / Vertical Plane (WIFI, 2400-	2500) 25°	
HPBW / Vertical Plane (WIFI, 4900-	5925) 20°	
Polarization	Vertica	d
Average Peak Gain (LTE, 644-960)	(LTE, 1710-2700) 4.6/4.9	dBi
Average Peak Gain (WIFI, 2400-250	0) (WIFI, 4900-5925) 6/6.6 d	Bi
Isolation (LTE1 to LTE2)	<-13	
Isolation (WiFi1/2, WiF2/3 & WiFi1/3) <-13	
Average Efficiency (LTE)	67 %	
Average Efficiency (WiFi)	57 %	
Power Withstanding	45 W	
GNSS Beidou-GPS-Glonass		
Frequency	1561.098±2.046,1575.42±1.0)23,1602.5625±4 MHz
VSWR	2:1	
Nominal Impedance	50 Ω	

2 .1
50 Ω
1 dBic +/- 1dB
30 dB +/- 2 dB
RHCP

2

Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

Gain (Radiating element)

Gain (LNA gain)

Polarization



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

ELECTRICAL SPECIFICATIONS

Out of Band Rejection

Noise Figure Operating Voltage Current Consumption 960MHz >65 dB, 1710MHz >60 dB, 2170MHz >65 dB, 2400MHz >65 dB < 2.4dB 3.3 - 5 Vdc ± 0.5 V < 11 mA

MECHANICAL SPECIFICATIONS

Length/Height/Width Weight Antenna Color / Material Cable / Connector 195.1mm (7.68")/92.6 (3.65")/88.5mm (3.48") 856 g (1.9 lbs) Black or White / PC/ABS, UV protected 2x LTE, 5.2m (17') LMR-195/SMA-Male 1x, 2x or 3x WiFi, 5.2m (17') LMR-195/RP-SMA-Male GNSS, 5.2m (17') RG-174/SMA-Male Adhesive Mount

Mounting Configuration

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature	-40/+85° C
Ingress Protection	IP67
RoHS Compliant	Yes

OTHER SPECIFICATIONS

Total cable assembly loss for 5.2m (17') LMR-195 @ 850MHz	2.1 dB
Total cable assembly loss for 5.2m (17') RG-174 @ 1575MHz	6.0 dB
Total cable assembly loss for 5.2m (17') LMR-195 @ 1930MHz	3.2 dB
Total cable assembly loss for 5.2m (17') LMR-195 @ 2500MHz	3.7 dB
Total cable assembly loss for 5.2m (17') LMR-195 @ 2450MHz	3.6 dB
Total cable assembly loss for 5.2m (17') LMR-195 @ 5350MHz	5.5 dB

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

MECHANICAL DRAWING 7.683 3.484 195.14 88.49 3.644 92.55 5182 ± 100 UV STABLIZED PLASTIC Product Lable Ш VMFI-1 RE T CABLE/CONNECTORS SEE CHART Ð Ш ЦIJ 3M 4959 ADHESIVE TAPE (2) (3) (4) (6) (1)(5)

All dimensions are in mm / inches

Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



4




Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

MECHANICAL DRAWING

Vehicular Multiband Antenna with Adhesive Mount

(Part Number)



1	Product ID: RAZORBACK	
2	Total Number of Cable leads	
3	Total Number of LTE Cable Leads	
4	Total Number of WiFi Cable Leads	
5	Total Number of GPS Cable Leads	
6	The Color of the Plastic Housing 1=Black; 2= White	
1	Mounting: Adhesive Mount	

	RAZXXXXAM	CABLE	CABLE LENGTH	CONNECTOR
1	LTE-1 Cable Assy			
2	LTE-2 Cable Assy	LMR195	5181 mm / 204" /	SMA Male
3	WiFi-1 Cable Assy			RP-SMA Male
4	WiFi-2 Cable Assy			
5	WiFi-3 Cable Assy		17 FT	
6	GPS Cable Assy	RG-174		SMA Male

All dimensions are in mm / inches

Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION


5



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

CHARTS



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




6



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

CHARTS



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




7



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

CHARTS



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.




8



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents. or to manufacture. use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbid Downloaded From Onevac.com


9



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

CHARTS



lssue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.


CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 10



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION


ROHS 11



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

CHARTS



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.




12



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents. or to manufacture. use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbid Downloaded From Onevac.com

13


RoHS



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

CHARTS



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.




14



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents. or to manufacture. use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbid Downloaded From Onevac.com

15


RoHS



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

CHARTS



Issue: 1742


In the effort to improve our products, we reserve the right to make changes judged to be necessary.

16



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM



Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents. or to manufacture. use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbid Downloaded From Onevac.com

17

RoHS





Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

CHARTS

GNSS LNA Gain and out-of-band rejection





GNSS Passive

Measurement Measured with 152mm (6") cable

Issue: 1742

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents. or to manufacture. use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbid Downloaded From Onevac.com



18



Series: RAZORBACK

PART NUMBER: RAZ32011AM, RAZ32012AM, RAZ42111AM, RAZ42112AM, RAZ52211AM, RAZ52212AM, RAZ62311AM, RAZ62312AM

PACKAGING

1pcs antennas per foam bag

6pcs antennas per package box

Total 6pcs antenna per package box

Package box: 558mm*386mm*210mm

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



单击下面可查看定价,库存,交付和生命周期等信息

>>Pulse(普思)