

# IP-65 Outdoor 868 & 915 MHz Antenna



Pulse Part Number W5012, W5017



Pulse is proud to introduce a ruggedized line of ISM antennas for North American and European applications. These IP-65 rated antennas covering 868 to 928 MHz are suitable for either European or North American operations. The antennas are both supplied in a slim 179 mm (7 inch) package. The W5017 has an SMA-Male connector while the W5012 has SMA RP-Male.

The antennas are provided in a UV and IP-65 compliant black plastic radome making them ideal for industrial environments. Applications include Smart Metering, Green Energy, e.g. Solar Inverter Communications, Industrial Control, Remote Control and Wireless M2M.

### Features

- Ingress Protection IP-65
- UV Protection
- Antenna Size 0.39 x 7 in (10 x 179 mm)
- RoHS Compliant Product

### Applications

- Smart Metering
- Industrial Control
- Wireless M2M

Part Number	Connector Type /Gender
W5012	SMA-RP Male
W5017	SMA Male

# IP-65 Outdoor 868 & 915 MHz Antenna

Pulse Part Number W5012, W5017

## Electrical Specifications

Frequency [MHz]	868 - 928
Nominal Impedance [ $\Omega$ ]	50
Return Loss (dB)	-8
Gain (dBi)	2
Polarization	Omnidirectional

## Environmental Specifications


Operating Temperature [ $^{\circ}\text{C}$ ]	-40 to +85
Storage Temperature [ $^{\circ}\text{C}$ ]	-40 to +85
Relative Humidity [%]	95

## Mechanical Specifications


Radome Material	TPEE
Color	Black
Ingress Protection	IP-65
Weight [ozs/g]	.3 / 9.4
Dimensions [Inches/Meters]	0.39 x 7 [10 x 179]

## Radiation Patterns

### Horizontal Plane



### Vertical Plane



单击下面可查看定价，库存，交付和生命周期等信息

[>>Pulse\(普思\)](#)