

TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR



PAN62311DM Black



PAN62312DM White

All dimensions are in mm / inches

Features:

- Supports 2xMIMO Cellular LTE 698-960/1695-2170/2300-2700/2900-3600MHz
- Supports 3xMIMO WiFi and DSRC 2400-2500MHz/4900-5925MHz
- Supports Beidou, GPS, Galileo, GLONASS, Active Satellite Antenna
- Direct Mount and optional Magnetic Mount features
- See GPSMBMM for magnetic mount details

Applications:

- Telematics
- Location based services
- First Responders(Police, Ambulance, Fire)
- Government
- Energy(Utility Vehicles)
- Fleet Management
- Railroad

Issue: 1833

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany





TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

This document covers all product variants of the following product family

Model NO.	PAN62311DM	PAN62312DM	PAN62311DMR	PAN62312DMR	
Color	Black	White	Black	White	
Cable NO.	6	6	6	6	
Operating Bands	2-LTE+ 3WiFi+ 1-GPS/GNSS	2-LTE+ 3WiFi+ 1-GPS/GNSS	2-LTE+ 3WiFi+ 1-GPS/GNSS	2-LTE+ 3WiFi+ 1-GPS/GNSS	
LET/WiFi Cable Type	RG58(Black)	RG58(White)	RG58HT(Black)	RG58HT(White)	
GPS Cable Type	RG174(Black)	RG174(White)	RG174HT(Black)	RG174HT(White)	
Cable length	17FT	17FT	17FT	17FT	
Connector	LTE: SMA(M) WiFi: RP-SMA(M) GPS: SMA(M)	LTE: SMA(M) WiFi: RP-SMA(M) GPS: SMA(M)	LTE: SMA(M) WiFi: RP-SMA(M) GPS: SMA(M)	LTE: SMA(M) WiFi: RP-SMA(M) GPS: SMA(M)	
Assembly option	1.Assembly directly with nut 2.Magnetic mount base P/N:GPSMBMM				
Remark			Compliant with EN 50155, EN 61373, EN45545-2, Railroad application.	Compliant with EN 50155, EN 61373, EN45545-2, Railroad application.	

Issue: 1833

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Tel: 1-360-944-75 Downloaded From Oneyac.com





TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi, **GNSS Vehicle Mount Antenna**

PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR,PAN62312DMR

Frequency (2XLTE)		698 - 960 / 1695 – 2170 / 2300 - 2700 / 2900 – 3600	MHz	
Frequency (3XWiFi&DSRC	.)	2400 – 2500/ 4900 – 5925	MHz	
rrequeriey (oxtrirraporte	'1	1561.098±2.046/	MHz	
Frequency (1XGNSS)		1575.42±1.023/		
		1602.5625±4		
Nominal Impedance		50	Ω	
VSWR** (LTE)		<1.5	22	
VSWR** (WiFi&DSRC) Gain* (LTE antenna, < 217	70 MHz)	< 1.4	dBi ± 2.5 dB	
Gain* (LTE antenna, > 217	•	5	$dBi \pm 2.5 dB$ $dBi \pm 2 dB$	
Gain* (WiFi antenna, < 25	•	4.5		
Gain* (WiFi antenna, > 4900 MHz)		5	dBi ± 2 dB	
Isolation LTE to LTE **		15 or better	dB	
Isolation WiFi to WiFi **		25 or better	dB	
GNSS antenna RHCP gain		1	$dBic \pm 2 dB$	
LNA gain		30	$dB\pm 2\;dB$	
Noise Figure		2.5 (cascade)	dB	
Current		9	$mA\pm 2\;mA$	
V_dc		3-5	V_{dc}	
LNA and filter attenuati	on			
	@ 824 MHz	70	dB	
	@ 960 MHz	65	dB	
	@ 1710 MHz	60	dB	
	@ 2170 MHz	65	dB	

^{**}In free space with 17ft cables





^{*}Measured on 2ft GND plane and with 4 inch cables



TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

MECHANICAL SPECIFICATIONS

Plastic radome for PAN62311DM/PAN62312DM ABS/PC Material UV

Stabilized, UL-94HB

for PAN62311DMR/PAN62312DMR PC material, EN45545

R6 HL3 compliant

Color Black, White

Ingress Protection IP67

Weight ~1540 g

Fixing system Roof mounting (Also

Magnet mounting accessory available,

GPSMBMM)

Recommended fastening torque 1518ft-lb (20-25Nm).

ENVIRONMENTAL SPECIFICATIONS

Operating temperature MIL-STD 810G -40/+85° C

Humidity 95%RH @ +25°C for 12h and 55°C for 12h

Vibration MIL-STD 810G, section 514.6, 5-500 Hz, 60min/axis

Thermal Shocks MIL-STD 810G, section 503.5, -40 to +85°C, 3 cycles

Drop Test Minimum of one drop per axis – 4, 1 meter drops





TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

Tests for railroad certification per EN50155, EN61373, EN45545-2

NO	T SN IN STAND	TEST DESCRIPTION	REFER STANDARD	TEST REPORT NO	RESULT(PASS/FAIL)
1	12.2.3	Cooling test	EN 50155	DD20170919002	PASS
2	12.2.4	Dry heat test			
3	12.2.5	Damp heat test, cyclic			
4	12.2.6	Supply overvoltages	EN 50155	W01714200900E	PASS
5	12.2.7	Surges, electrostatic discharge and transient burst susceptibility tests	EN 50155	E1710056-01E	PASS
6	12.2.8	Radio interference			
7	12.2.9	Insulation test	EN 50155	E17110014-01E	PASS
8	12.2.10	Salt mist test	EN 50155		PASS
9	12.2.11	Vibration	EN 61373		
9	12.2.11	Shock, and bump test	EN 61373	DD20170919002	
10	12.2.12	Watertightness test	EN 50155		
11	12.2.14	Low temperature storge test	EN 50155		
12	/	/ fire & smoke	EN 45545-2 R15&R16	TC 18 02 000528	HL1&HL2
			EN 45545-2 R15&R16	TC.18.04.001633	HL1&HL2&HL3







TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,


PAN62311DMR,PAN62312DMR

MECHANICAL DRAWING











TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

TEST SETUP



For VSWR, test in free space with 17ft cables

For radiation performance, test on 2ft GND plane with 4inch cables



TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR,PAN62312DMR

CHARTS

VSWR of LTE antenna



VSWR of WiFi antenna







TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

Isolation of LTE antenna



Isolation of WiFi antenna







TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,


PAN62311DMR,PAN62312DMR

CHARTS

Isolation of LTE1 antenna to WiFi antenna



Isolation of LTE2 antenna to WiFi antenna







TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,


PAN62311DMR,PAN62312DMR

CHARTS

Isolation of GNSS antenna to LTE antenna



Isolation of GNSS antenna to WiFi antenna





TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

GNSS LNA performance





TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

LTE antenna total efficiency on ground plane**



Maximum 3D gain, LTE antenna on ground plane**







TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,


PAN62311DMR,PAN62312DMR

CHARTS

WiFi antenna total efficiency on ground plane**



Maximum 3D gain, WiFi antenna on ground plane**






TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi, GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

LTE1 antenna X-Y plane radiation pattern at LTE low band**



LTE1 antenna Z-X plane radiation pattern at LTE low band**







TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

LTE1 antenna Y-Z plane radiation pattern at LTE low band**








TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi, GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

LTE1 antenna X-Y plane radiation pattern at LTE high band**



LTE1 antenna Z-X plane radiation pattern at LTE high band**



Issue: 1833

ROHS



TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

LTE1 antenna Y-Z plane radiation pattern at LTE high band**








TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi, GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

LTE2 antenna X-Y plane radiation pattern at LTE low band**



LTE2 antenna Z-X plane radiation pattern at LTE low band**







TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR,PAN62312DMR

CHARTS

LTE2 antenna Y-Z plane radiation pattern at LTE low band**







TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi, GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,


PAN62311DMR,PAN62312DMR

CHARTS

LTE2 antenna X-Y plane radiation pattern at LTE high band**



LTE2 antenna Z-X plane radiation pattern at LTE high band**







TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

LTE2 antenna Y-Z plane radiation pattern at LTE high band**








TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi, GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

WiFi1 antenna X-Y plane radiation pattern at WiFi low band**



WiFi1 antenna Z-X plane radiation pattern at WiFi low band**







TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR,PAN62312DMR

CHARTS

WiFi1 antenna Y-Z plane radiation pattern at WiFi low band**





TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi, GNSS Vehicle Mount Antenna

GN33 venicie Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

WiFi1 antenna X-Y plane radiation pattern at WiFi high band**



WiFi1 antenna Z-X plane radiation pattern at WiFi high band**



Issue: 1833

ROHS



TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

WiFi1 antenna Y-Z plane radiation pattern at WiFi high band**








TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi, GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

WiFi2 antenna X-Y plane radiation pattern at WiFi low band**



WiFi2 antenna Z-X plane radiation pattern at WiFi low band**







TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

WiFi2 antenna Y-Z plane radiation pattern at WiFi low band**







TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

WiFi2 antenna X-Y plane radiation pattern at WiFi high band**



WiFi2 antenna Z-X plane radiation pattern at WiFi high band**







TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR,PAN62312DMR

CHARTS

WiFi2 antenna Y-Z plane radiation pattern at WiFi high band**










TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi, GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

WiFi3 antenna X-Y plane radiation pattern at WiFi low band**



WiFi3 antenna Z-X plane radiation pattern at WiFi low band**





TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

WiFi3 antenna Y-Z plane radiation pattern at WiFi low band**





TECHNICAL DATA SHEET


Description: 2xMiMo LTE, 3xMiMo WiFi, GNSS Vehicle Mount Antenna

GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM, PAN62311DMR, PAN62312DMR

CHARTS

WiFi3 antenna X-Y plane radiation pattern at WiFi high band**



WiFi3 antenna Z-X plane radiation pattern at WiFi high band**







TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

WiFi3 antenna Y-Z plane radiation pattern at WiFi high band**





TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR


CHARTS


GNSS antenna, BD2 RHCP patterns, in free space*





GNSS antenna, GPS & Galileo RHCP patterns, in free space*







TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,


GNSS Vehicle Mount Antenna


PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

CHARTS

GNSS antenna, GLONASS RHCP patterns, in free space*









TECHNICAL DATA SHEET

Description: 2xMiMo LTE, 3xMiMo WiFi,

GNSS Vehicle Mount Antenna

PART NUMBER: PAN62311DM, PAN62312DM,

PAN62311DMR,PAN62312DMR

PACKAGING

One antenna pack in one PE bag, 6 antennas in one box

单击下面可查看定价,库存,交付和生命周期等信息

>>Pulse(普思)