

TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER:W3525BXXX



Features:

- 2400-2500 MHz
- Size: 10.7 x 47.7 x 0.8 mm
- Gain 1.5dBi
- Radiation pattern Omni
- Cable length, see page 2
- Connector U.FL compatible
- RoHS Compliant

Applications:

- 2.4GHz ISM band radios
- WiFi, Bluetooth, BLE, ZigBee
- Devices requiring internal antenna
- Security, IoT, Monitoring, Industrial applications

All dimensions are in mm / inches

Issue: 2105

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Tel: 1-360-944-7551 Downloaded From Oneyac.com

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with

coax feed


PART NUMBER: W3525BXXX

This document covers all product variants of the following product family

Part Number	Cable Length	Adhesive Tape	Cable type	Connector type	Frequency	Max Gain
W3525B039	3.9" / 100 mm	N.A.		I-PEX MHF or euivalent, Compatible with U.FL	2.4 GHz	2 dBi
W3525B052	5.2" / 132.1 mm	N.A.				
W3525B100	10" / 254 mm	N.A.				
W3525B039T	3.9" / 100 mm	3M 467 (T=0.05mm)	Ø1.13mm Coax Cable,			
W3525B0150T	150 mm	3M 467 (T=0.05mm)	Gray color			
W3525B0250	250 mm	N.A.				
W3525B0250T	250 mm	3M 467 (T=0.05mm)				
W3525B254T	254 mm	3M 467 (T=0.05mm)				

Issue: 2105

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

ELECTRICAL SPECIFICATIONS

Antenna Type Dipole PCB+Cable 2400-2500MHz Frequency Nominal Impedance 50Ω **VSWR** 2.5:1 Radiation Pattern Omni Gain 1.5dBi Efficiency 55% Polarization Vertical 1W Power Withstanding

MECHANICAL SPECIFICATIONS

Overall Length 10.7x47.7x0.8mm

Antenna Material PCB

Connector type I-PEX or equivalent

Cable type MI-113 Gray

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -40° C~+85 $^{\circ}$ C Storage Temperature -40° C~+85 $^{\circ}$ C

RoHS Compliant Yes

OTHER SPECIFICATIONS




TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

MECHANICAL DRAWING



Part Number	Frequency(GHz)	Max Gain(dBi)	Impedance(ohm)	PWB Length(in/mm)	Cable Length(in/mm)	Adhesive Tape
W3525B039	2.4	2	50	1.87/47.7	3.9/100	N/A
W3525B052	2.4	2	50	1.87/47.7	5.2/132.1	N/A
W3525B100	2.4	2	50	1.87/47.7	10/254	N/A
W3525B039T	2.4	2	50	1.87/47.7	3.9/100	Required

Dimension unit: mm/inch

Issue: 2105

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

TEST SETUP





TECHNICAL DATA SHEET


Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

CHARTS

VSWR





TECHNICAL DATA SHEET


Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

CHARTS

Efficiency





TECHNICAL DATA SHEET


Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

CHARTS

Gain





TECHNICAL DATA SHEET


Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

CHARTS

Free Space Radiation Pattern







TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with


coax feed

PART NUMBER: W3525BXXX

CHARTS

Free Space Radiation Pattern

XZ Plane









TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with


coax feed

PART NUMBER: W3525BXXX

CHARTS

Free Space Radiation Pattern

YZ Plane





TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

PACKAGING

For W3525B039 and W3525B039T and W3525B052
10pcs antennas packing packed in 1 sealed bag
10pcs sealed bags (total 100pcs antennas) packed in 1 foam bag
12pcs foam bags (total 1200pcs antennas) packed in 1 carton
460x235x140mm

For W3525B100

5pcs antennas packing packed in 1 sealed bag 20pcs sealed bags (total 100pcs antennas) packed in 1 foam bag 12pcs foam bags (total 1200pcs antennas) packed in 1 carton 460x235x140mm

单击下面可查看定价,库存,交付和生命周期等信息

>>Pulse(普思)