

TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030



Features:

- Frequency 2400-2500MHz
- Gain 2.0 dBi
- Return Loss -10dB
- Length 108mm Straight position
- Connector:
 - RP SMA Male as default
 - SMA Male available by request

Applications:

- · 2.4GHz ISM band radios
- · Bluetooth, BLE, Zigbee
- WLAN, WiFi 802.11x for 2.4GHz
- Indoor use

All dimensions are in mm / inches

Issue: 2047

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Tel: 1-360-944-7551 Downloaded From Oneyac.com

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998 1



Issue: 2047

TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

ELECTRICAL SPECIFICATIONS

Antenna Type 1/2 λ Swivel Type Dipole Antenna

Frequency 2.4-2.5 GHz

Nominal Impedance 50Ω

Return Loss ≤ -10dB

Radiation Pattern **Omni**

Gain 2.0 dBi

Polarization Vertical

Electrical Length 1/2 λ dipole

MECHANICAL SPECIFICATIONS

Overall Length 108 mm

Weight 6.3 g

Black Antenna Color

Connector type Reverse SMA (Male), default

SMA (Male), by request

ENVIRONMENTAL SPECIFICATIONS

-40~+85° C Operating Temperature

Storage Temperature -40~+85° C

Yes **RoHS Compliant**






TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

MECHANICAL DRAWING






TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

Return Loss






TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

Gain and efficiency



Issue: 2047



5



TECHNICAL DATA SHEET


Description: 2.4-2.5GHz Dipole swivel stick


antenna


PART NUMBER: W1030

CHARTS

Radiation pattern







Issue: 2047



TECHNICAL DATA SHEET

Description: 2.4-2.5GHz Dipole swivel stick

antenna

PART NUMBER: W1030

PACKAGING

Pack 20pcs antenna in one PE bag, 30pcs PE bag (600pcs Antenna) in one carton.

单击下面可查看定价,库存,交付和生命周期等信息

>>Pulse(普思)