

TECHNICAL DATA SHEET

Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X



Features:

- Helix coil with shrink tube
- Antenna type Monopole
- Diameter 9.8 mm
- Coil cut to operating freq:
 - 169MHz 80mm, P/N W3100
 - 433MHz 30mm, P/N W3100A
 - 868MHz 11mm, P/N W3100B
 - 915MHz 10mm, P/N W3100C
 - 2450MHz 2.5mm, P/N W3100D

Applications:

- ISM band radios
- IoT
- Smart Meters
- Easy to cut for optimal length in variety of applications
- Fine tuning and impedance matching with PCB SMT components

All dimensions are in mm / inches

W3100C

Issue: 1851

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA

W3100D

Europe Headquarters
Pulse GmbH & Do, KG
Zeppelinstrasse 15
Herrenberg, Germany

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998 1



TECHNICAL DATA SHEET

Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

ELECTRICAL SPECIFICATIONS

Antenna Type Helix monopole coil

Frequency 169, 433, 868, 915, 2450MHz

Nominal Impedance 50 Ω

VSWR 2:1

Radiation Pattern Omni

Gain -4dBi @ 169MHz

-2.9dBi @ 433MHz

0dBi @ 868MHz

-0.5dBi @ 915MHz

3.5dBi @ 2450MHz

Efficiency 20% @ 169MHz

25% @ 433MHz

35% @ 868MHz

35% @ 915MHz

80% @ 2450MHz

Polarization Vertical

Power Withstanding 2W

MECHANICAL SPECIFICATIONS

Coil Length See table

Antenna Color Black radome

Mounting method Mechanical lock on PCB, soldering


Weight 10.2g/2.0g/0.5g/0.45g/0.2g

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -40 - +85 ° C
Storage Temperature -40 - +85 ° C

RoHS Compliant Yes

Issue: 1851







TECHNICAL DATA SHEET

Description: ISM 169/433/868/915/2450MHz


Helical Antenna


PART NUMBER: W3100X

Series: Helix Coil

MECHANICAL DRAWING

W3100/W3100A/W3100B/W3100C





- 1. Heat shrink protective tube
- 2. Helix wire coil

Note: W3100D W/O shrink tube

PN	"L"	Frequency
W3100	80±2	169MHz
W3100A	30±0.5	433MHZ
W3100B	11±0.5	868MHz
W3100C	10±0.5	915MHz
W3100D	2.5±0.2	2450MHz

Issue: 1851





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

MECHANICAL DRAWING AND TERMINAL CONFIGURATION

W3100




Cut made to reduce mechanic stress of soldering

Wire soldering area

0603 components: 180nH inductor, 0 ohm resistance

(component location can be modified as long as they stay close to antenna feed point)





TECHNICAL DATA SHEET

Description: ISM 169/433/868/915/2450MHz


Helical Antenna


PART NUMBER: W3100X

PART NUIVIBER:

MECHANICAL DRAWING AND TERMINAL CONFIGURATION

W3100 TEST BOARD







TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

MECHANICAL DRAWING AND TERMINAL CONFIGURATION

W3100 TEST BOARD





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

MECHANICAL DRAWING AND TERMINAL CONFIGURATION

W3100A/W3100B/W3100C/W3100D





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

MECHANICAL DRAWING AND TERMINAL CONFIGURATION

W3100A/W3100B/W3100C/W3100D TEST BOARD









TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

MECHANICAL DRAWING AND TERMINAL CONFIGURATION

W3100A/W3100B/W3100C/W3100D TEST BOARD



DETAIL A







TECHNICAL DATA SHEET

Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

TEST SETUP







433MHz

868MHz





915MHz

2400MHz





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100





12



TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100







TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100A





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100A







TECHNICAL DATA SHEET

Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100A

Power (dBm)





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100A







TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100B





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100B









TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100B



Power (dBm)



TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100B





Issue: 1851




TECHNICAL DATA SHEET

Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS






TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS








TECHNICAL DATA SHEET

Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS






TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS







TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100D





TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100D







TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100D



____2400N4Hz _____2450N4Hz _____2500N4H-

Power (dBm)



TECHNICAL DATA SHEET


Description: ISM 169/433/868/915/2450MHz


Helical Antenna

PART NUMBER: W3100X

CHARTS

W3100D





Issue: 1851

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





TECHNICAL DATA SHEET

Description: ISM 169/433/868/915/2450MHz

Helical Antenna

PART NUMBER: W3100X

PACKAGING

W3100 W3100B/W3100C

39pcs antennas per tray 99pcs antennas per tray

20pcs tray package box 20pcs tray package box

1pcs empty tray 1pcs empty tray

Total 780 pcs antenna per out box Total 1980 pcs antenna per out box

Out box size: 375mmx285mmx200mm Out box size: 375mmx285mmx200mm

W3100A W3100D

72pcs antennas per tray 117pcs antennas per tray

20pcs reel tray package box 20pcs reel tray package box

1pcs empty tray 1pcs empty tray

Total 1440 pcs antenna per out box Total 2340 pcs antenna per out box

Out box size: 375mmx285mmx200mm Out box size: 375mmx285mmx200mm

单击下面可查看定价,库存,交付和生命周期等信息

>>Pulse(普思)