

# Wire Wound Type Common Mode Filter



HSF2012F2SV-SERIES-H

## 1. Features

1. High common mode impedance at high frequency cause excellent noise suppression performance.
2. HSF2012F2SF series realizes small size and low profile. 2.0x1.2x1.2 mm.
3. 100% Lead(Pb) & Halogen-Free and RoHS compliant.
4. For USB3.1G2 & HDMI2.0
5. High reliability -Reliability tests comply with AEC-Q200
6. Operating temperature -55~+125°C (Including self - temperature rise)




## 2. Dimension



Series	A(mm)	B(mm)	C(mm)	D1(mm)	D2(mm)	E(mm)
2012F2SF	2.0±0.2	1.2±0.2	1.2±0.2	0.50±0.1	0.51±0.1	0.15±0.1





## 3. Part Numbering



- A: Series  
 B: Dimension  
 C: Material Ferrite Core  
 D: Number of Lines 2=2 lines  
 E: Type S=Shielded, N=Unshielded  
 F: Category Code V=Vehicle  
 G: Impedance 600=60Ω  
 H: Packaging T=Taping and Reel  
 I: Rated Current 03=300mA  
 J: Control S/N


## 4. Specification

TAI-TECH Part Number	Common mode Impedance (Ω)	Test Frequency (MHz)	DC Resistance (Ω) max.	Rated Current (mA)	Rated Volt. (Vdc)	Withstand Volt. (Vdc)	IR (Ω) min.
HSF2012F2SV-300T04-H	30±25%	100	0.20	400	50	125	10M
HSF2012F2SV-600T03-H	60±25%	100	0.30	300	50	125	10M
HSF2012F2SV-900T03-H	90±25%	100	0.30	300	50	125	10M
HSF2012F2SV-121T03-H	120±25%	100	0.35	330	50	125	10M




### Insertion Loss Test

HSF2012F2SV-300T04-H  
USB3.1 Choke Insertion Loss Graphic result




HSF2012F2SV-600T03-H  
USB3.1 Choke Insertion Loss Graphic result




### HSF2012F2SV-900T03-H

USB3.1 Choke Insertion Loss Graphic result



### HSF2012F2SV-121T03-H


USB3.1 Choke Insertion Loss Graphic result



## Eye Diagram Graphic Test


### HSF2012F2SV-300T04-H

HDMI2.0 Choke Eye Diagram with-25ps Graphic result




### HSF2012F2SV-300T04-H

USB3.1 Choke Eye Diagram Graphic result




### HSF2012F2SV-600T03-H

HDMI2.0 Choke Eye Diagram with-25ps Graphic result




### HSF2012F2SV-600T03-H

USB3.1 Choke Eye Diagram Graphic result




HSF2012F2SV-900T03-H

HDMI2.0 Choke Eye Diagram with-25ps Graphic result




HSF2012F2SV-900T03-H

USB3.1 Choke Eye Diagram Graphic result




HSF2012F2SV-121T03-H

HDMI2.0 Choke Eye Diagram with 25ps Graphic result




HSF2012F2SV-121T03-H

USB3.1 Choke Eye Diagram Graphic result



### 5. Schematic Diagram



单击下面可查看定价，库存，交付和生命周期等信息

[>>TAI-TECH\(台庆\)](#)