


SECTION Z-Z

- 1 FINISH OVER INDICATED AREA: 0.000762 [.000030] MIN GOLD OVER 0.00127 [.000050] NICKEL. MEETS EIA-364-53 POROSITY, MEAS. AREA .130 FROM TIP.
- 2 FINISH OVER INDICATED AREA: 0.00254 [.000100]-0.00635 [.000250] BRIGHT TIN-LEAD OVER 0.00127 [.000050] NICKEL.
- 3 DATE CODE EITHER SIDE, WITH COUNTRY OF ORIGIN IF APPLICABLE.
- 4 "VRM Header" MOLDED INTO BOTH SIDES OF HOUSING. WITH MATTE BACKGROUND.
- 5 MATERIAL: GLASS FILLED VO THERMOPLASTIC COLOR BLACK+ CONTACT: COPPER ALLOY
- 6 RESTRICTED TO INTEL VRM PROGRAM
- 7 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION.
- 8 FINISH OVER INDICATED AREA: 0.00254-0.00635 [.000100-.000250] MATTE TIN OVER 0.00127 [.000050] NICKEL
- 9 ROHS 2002/95/EC COMPLIANT



RECOMMENDED PCB HOLE LAYOUT

9	8	99.06 [3.900]	117.73 [4.635]	108.46 [4.270]	125.73 [4.950]	109.22 [4.300]	99.06 [3.900]	39	80	5-146205-4
9	8	35.56 [1.400]	54.23 [2.135]	44.96 [1.770]	62.23 [2.450]	45.72 [1.800]	35.56 [1.400]	14	30	5-146205-1
7	2	99.06 [3.900]	117.73 [4.635]	108.46 [4.270]	125.73 [4.950]	109.22 [4.300]	99.06 [3.900]	39	80	146205-4
OBS	2	-	-	-	-	-	-	-	-	146205-3
OBS	2	-	-	-	-	-	-	-	-	146205-2
	2	35.56 [1.400]	54.23 [2.135]	44.96 [1.770]	62.23 [2.450]	45.72 [1.800]	35.56 [1.400]	14	30	146205-1
	FINISH	G	F	E	D	C	B	A	NO OF POSN.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN J KNAUB 11-23-94	11-23-94
0 PLC ± -	1 PLC ± -	CHK H PALEY 11-23-94	
2 PLC ± -	3 PLC ± 0.13 [.005]	APP'D H PALEY 11-23-94	
4 PLC ± -	ANGLES ± -	PRODUCT SPEC	
MATERIAL	FINISH	APPLICATION SPEC	
5	1 2 3 4 8	WEIGHT	
		SIZE	
		WEIGHT	
		SCALE	
		SHEET	
		REV	

STE TE Connectivity

ASSEMBLY, VRM 7 HEADER, MOD II, DOUBLE ROW, 2 PIECE, .100 X .100 CL, .025 SQ. POST, WITH BOARDLATCH

00779 146205

CUSTOMER DRAWING SCALE 4:1 SHEET 1 OF 2 REV J



BOARD LAYOUT FOR LATCHING AMP 2PC. RECEPTACLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN	J KNAUB	11-23-94	 TE Connectivity			
		CHK	H PALFY	11-23-94				
		APVO	H PALFY	11-23-94	NAME ASSEMBLY, VRM 7 HEADER, MOD II, DOUBLE ROW, 2 PIECE, .100 X .100 CL, .025 SQ. POST, WITH BOARDLATCH			
		PRODUCT SPEC						
		APPLICATION SPEC			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
					A1	00779	146205	
		MATERIAL			CUSTOMER DRAWING		SCALE	4:1
		FINISH					SHEET	2 OF 2
							REV	J

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)