




- 1: AS SHOWN

REVISIONS



P	LTR	DESCRIPTION	DATE	DWN	APVD
A		RELEASED	28JUN2016	T.S	N.Y
B		REVISED	11JUL2016	T.S	N.Y



TYPE I

TYPE II


2294415-2	TYPE II	BLACK
2294415-1	TYPE I	BLACK
P/N	D-SHAPE	HOUSING COLOR



1 COPLANARITY: 0.08MAX (FRONT PEG, CONTACT)

2 DIMENSION DECIDED BY CUSTOMER

QTY	DESCRIPTION	ITEM
1	HDR SHELL TYPE II MATERIAL:SUS UNDER ALL SURFACE Ni 0.00127MIN ALL SURFACE Sn 0.002MIN	4
-	HDR SHELL TYPE I MATERIAL:SUS UNDER ALL SURFACE Ni 0.00127MIN ALL SURFACE Sn 0.002MIN	4
4	HDR LOWER CONTACT MATERIAL:COPPER ALLOY UNDER ALL SURFACE Ni 0.00127MIN CONTACT AREA Au 0.0005MIN SOLDERING AREA Sn 0.002MIN	3
4	HDR UPPER CONTACT MATERIAL:COPPER ALLOY UNDER ALL SURFACE Ni 0.00127MIN CONTACT AREA Au 0.0005MIN SOLDERING AREA Sn 0.002MIN	2
1	HDR HOUSING MATERIAL:THERMO PLASTIC(UL94 V-0) COLOR:BLACK	1
-2	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 28JUN2016 T. SHIMOYASU	 TE Connectivity	
DIMENSIONS: 単位: 概 mm		CHK 28JUN2016 E. TAKEMASA		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.3		APVD 28JUN2016 N. YAMASAKI	NAME 名称 INDUSTRIAL MINI I/O CONN. 1.27MM PITCH 8P HDR ASSY SMT TRAY	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±5°		PRODUCT SPEC 108-78405	RESTRICTED TO	
MATERIAL 材料		APPLICATION SPEC 114-32132	SIZE A3	CAGE CODE -
FINISH 仕上		WEIGHT -	DRAWING NO 番号 C-2294415	SCALE 尺度 5:1
		CUSTOMER DRAWING	SHEET 1 OF 3	REV B

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2015

© COPYRIGHT 2015

BY Tyco Electronics Japan G.K.

ALL RIGHTS RESERVED.

REVISIONS

変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

Technical drawing of a PCB connector assembly. Dimensions and tolerances include: 2.6~4.6 (2PLC), 2.8±0.05 (0.1 Y X 2PLC), 5.05±0.05, 2.25±0.05, 0.8±0.05 (2PLC), 0.4±0.05 (0.05 Y X 8PLC), 2.2225, 1.5875, 0.9525, 0.3175, 9.31±0.05 (-X-), 6.41±0.05 (0.1 Y X), 5.7, 10.81±0.05 (0.1 Y X), 3.75±0.05 (2PLC), 7.81±0.05 (0.1 Y X), 3.6±0.05 (0.1 Y X), and 6.1.

REFERENCE PCB DIMENSIONS
(STANDARD)
t=1.6±0.1

Technical drawing of a PCB connector assembly. Dimensions and tolerances include: 2.6~4.6 (2PLC), 3.6±0.05 (0.1 Y X), 5.05±0.05, 2.25±0.05, 0.8±0.05 (2PLC), 1±0.05 (0.05 Y X 2PLC), 0.4±0.05 (0.05 Y X 8PLC), 2.2225, 1.5875, 0.9525, 0.3175, 9.31±0.05 (-X-), 0.95, 2.8±0.05 (0.1 Y X 2PLC), 6.41±0.05 (0.1 Y X 2PLC), 5.7, 10.81±0.05 (0.1 Y X 2PLC), 2.5±0.05 (0.1 Y X 2PLC), and 6.1.

REFERENCE PCB DIMENSIONS
(SAME AS 1981080-1/1981386-1)
t=1.6±0.1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

-

CUSTOMER DRAWING

TE Connectivity

NAME
名称 INDUSTRIAL MINI I/O CONN.
1.27MM PITCH 8P HDR ASSY SMT TRAY

SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
A3	-	C=2294415	-

SCALE 尺度	SHEET 張	OF	REV
5:1	2	3	B


1470-19 (3/13)

Downloaded From Oneyac.com


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2015
 © COPYRIGHT 2015 BY Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



DETAIL A



B-B



DETAIL A



PACKING REFERENCE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ± 3	
		0 PLC ±	1 PLC ±
		2 PLC ±	3 PLC ±
		4 PLC ±	ANGLES ± 5°
		FINISH 仕上	
		MATERIAL 材料	

DWN
CHK
APVD
PRODUCT SPEC 製品規格
APPLICATION SPEC 取付適用規格
WEIGHT
CUSTOMER DRAWING

STE TE Connectivity

NAME
名称 INDUSTRIAL MINI I/O CONN.
1.27MM PITCH 8P HDR ASSY SMT TRAY

SIZE A3	CAGE CODE -	DRAWING NO 番号 C-2294415	RESTRICTED TO -
SCALE 尺度 5:1		SHEET 3 OF 3	REV B

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)