


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
C1		PART NUMBER STATUS UPDATED	30JAN2018	SD	PS

POLZ. PRO REIHE	L±0.4	BESTELL-NR.
-	-	-
2	5.08	829 114 -2
3	7.62	-3
4	10.16	-4
5	12.70	-5
6	15.24	-6
7	17.78	-7
8	20.32	-8
9	22.86	-9
10	25.40	-0
11	27.94	-1
12	30.48	-2
13	33.02	-3
14	35.56	-4
15	38.10	-5
16	40.64	-6
17	43.18	-7
18	45.72	-8
19	48.26	-9
20	50.80	-0
21	53.34	-1
22	55.88	-2
23	58.42	-3
24	60.96	-4
25	63.50	-5
26	66.04	-6
27	68.58	-7
28	71.12	-8
29	73.66	-9
30	76.20	-0
31	78.74	-1
32	81.28	-2
33	83.82	-3
34	86.36	-4
35	88.90	-5
36	91.44	-6
37	93.98	-7
38	96.52	-8
39	99.06	-9
40	101.60	-0
41	104.14	-1
42	106.68	-2
43	109.22	-3
44	111.76	-4
45	114.30	-5
46	116.84	-6
47	119.38	-7
48	121.92	-8
49	124.46	-9
50	127.00	5- 829 114 -0

OBSOLETE



CONTACT PIN	CuZn	
PIN HOUSING	PBTP GV	GRÜN
DESCRIPTION	MATERIAL	FINISH/COLOR



STECKSEITE: IM BEREICH "F" 0.7µm PdNi+0.1µm GOLD FLASH ÜBER 1.27µm NICKEL
LÖTSEITE: MIN. 2.5µm ZINN ÜBER 1.27µm NICKEL



OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED.

DIMENSIONS:	
mm	
TOLERANCES UNLESS OTHERWISE SPECIFIED:	
	± 0.2
0 PLC	± -
1 PLC	± -
2 PLC	± -
3 PLC	± -
4 PLC	± -
ANGLES	± -

DWN	02.11.88	MATERIAL	SEE TABLE	FINISH	SEE TABLE
CHK	25.01.89	M.SCHAARSCHMIDT			
APVD	-	W.SIMONS			
PRODUCT SPEC	108-18012				
APPLICATION SPEC	-				
WEIGHT	-				
CUSTOMER DRAWING					

		TE Connectivity			
		NAME: AMPMODU II STIFTLISTE, ZWEIREIHIG			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
A4	00779	C= 829114	-		
SCALE		4:1	SHEET	1 OF 1	REV
					C1

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)