

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	11MAY2015	DL	CW
	B	ECR-20-010477	28DEC2020	BS	CW
	B1	ECR-22-149504	15AUG2022	RG	CW

(68)

PG/M

78.5

(123.8)

(97.9)

SCALE 1:2

NOTES:

1. TECHNICAL CHARACTERISTICS:
 BODY MATERIAL: DIE CAST ALUMINIUM ALLOY
 SURFACE TREATMENT: POWDER-COATED, GRAY
 DEGREE OF PROTECTION: IP65 (MATED)

注释:

1. 技术参数:
 主体材料: 铝合金
 表面处理: 粉末喷涂, 灰色
 防护等级: IP65(配合)

49.7

66

75.5

8

16

16

T1739320129-000	H32A-TBF-PG29	PG29
T1739320121-000	H32A-TBF-PG21	PG21
T1739320132-000	H32A-TBF-M32	M32
ASSEMBLY PART NUMBER	ASSEMBLY PART DESCRIPTION	PG/M

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		CHK		APVD		NAME	
mm				DAVID LI		CHRIS WANG		XU XIANG		H32A-TBF-PG/M	
		0 PLC	±-	PRODUCT SPEC	108-137010	TE Connectivity		SIZE		RESTRICTED TO	
		1 PLC	±-	APPLICATION SPEC	114-137010	A3		CAGE CODE		DRAWING NO	
		2 PLC	±-	WEIGHT	-	SCALE		DRAWING NO		REV	
		3 PLC	±-	CUSTOMER DRAWING		3:4		C-T17393201XX000		B1	
		4 PLC	±-			SHEET		OF		REV	
		ANGLES	±-			1		1		B1	
		FINISH	-								
			-								

1470-19 (3/13)

Downloaded From Onevac.com

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)