



REVISIONS				
P	LTN	DESCRIPTION	DATE	OWN APVD
B		REVISED PER ECO-20-002055	14FEB2020	AP GF
C		REVISED PER ECO-21-005292	01MAY2021	KK AK




△ LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -4): -1 SHOWN.



- SEE SHEET 2 FOR WIRING SCHEMATIC.
- ALL MATERIALS, COMPONENTS AND PROCESS SHALL COMPLY WITH TEC-138-702. (CONTAINS NO BANNED OR RESTRICTED SUBSTANCES).
- CABLE ASSEMBLY TO BE TESTED FOR OPENS, SHORTS AND PROPER EEPROM PROGRAM.
- NO REACH SvHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN REACH SvHC COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702

△ TEST IN ACCORDANCE WITH IEEE802.3by.

△ LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -43): -41 SHOWN



△ DASH NUMBER 41 THRU 43 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.

△8	32 AWG	1500 +50/-0	4-2334985-3
	32 AWG	1000 +50/-0	4-2334985-2
	32 AWG	500 +50/-0	4-2334985-1
△6	32 AWG	2000 +80/-0	2334985-4
	32 AWG	1500 +50/-0	2334985-3
	32 AWG	1000 +50/-0	2334985-2
	32 AWG	500 +50/-0	2334985-1
STANDARD	WIRE GAGE	L	PART NO


THIS DRAWING IS A CONTROLLED DOCUMENT. OWN: M_Y1 03MAY2018, CHK: G_FRANKLIN 03MAY2018, APVD: G_FRANKLIN 03MAY2018. **STE** TE Connectivity

DIMENSIONS: mm. TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±, 1 PLC ±, 2 PLC ±, 3 PLC ±, 4 PLC ±, ANGLES ±.

MATERIAL: FINISH: WEIGHT: CUSTOMER DRAWING. SIZE: A1. CAGE CODE: 100779. DRAWING NO: 2334985. RESTRICTED TO: C.

SCALE: 2:1. SHEET: 1 OF 2. REV: C.

REVISIONS				
P.	LTR.	DESCRIPTION	DATE	APVD.
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN M.YI 03MAY2018	TE Connectivity	
DIMENSIONS:		CHK G.FRANKLIN 03MAY2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD G.FRANKLIN 03MAY2018	NAME CABLE ASSEMBLY, SFP+ TO SFP+, 28G 32 AWG	
0 PLC ±	1 PLC ±	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO. RESTRICTED TO	
2 PLC ±	3 PLC ±	APPLICATION SPEC	A100779C=2334985	
4 PLC ±	ANGLES ±	WEIGHT	SCALE 2:1 SHEET 2 OF 2 REV C	
MATERIAL	FINISH	CUSTOMER DRAWING		

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)