



△ POLARIZING KEYS SHOWN IN POSITION 01 FOR ILLUSTRATION ONLY. KEYS, RETAINING PLATE AND SCREWS ARE PACKAGED SEPARATELY.

△ 443448-3 IS THE SAME AS -2 EXCEPT, THE INSERT LOADED IN CAVITY "F" IS A 13C2 WITH GROUND TABS FOR COAX PORTS.

443448-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN J.A. BAKER 10-22-96	Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS: INCHES (MM)		CHK A. SHARPE 04-21-97	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. SHARPE 04-21-97	NAME
0 PLC ± -			PRODUCT SPEC
1 PLC ± -			APPLICATION SPEC
2 PLC ± -			SIZE
3 PLC ± -			CAGE CODE
4 PLC ± -			DRAWING NO
ANGLES ± -			RESTRICTED TO
MATERIAL	FINISH	WEIGHT	A1 00779 C=443448
CUSTOMER DRAWING		SCALE 2:1	SHEET 1 OF 2 REV E



AS SHOWN	443448-3
PART NO.	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN J.A. Baker 10-22-96	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES (MM)		CHK A. SHARPE 04-21-97	NAME RECEPTACLE ASSEMBLY, SIZE 3, ARINC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVO A. SHARPE 04-21-97	PRODUCT SPEC	
0 PLC	±	APPLICATION SPEC		
1 PLC	±	SIZE		
2 PLC	±	CAGE CODE		
3 PLC	±	DRAWING NO		
4 PLC	±	RESTRICTED TO		
ANGLES	±	A1 00779 C=443448		
MATERIAL	FINISH	WEIGHT	SCALE 2:1	SHEET 2 OF 2
		CUSTOMER DRAWING	REV E	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)