



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
B		ECO-20-017853: G-CONTACT TAIL GOLD FLASH	18DEC2020	A.L	H.L





AS SHOWN: TYPE-1




D-D
(SCALE 2:1)



E-E
(SCALE 2:1)



DETAIL C
(SCALE 1:1)



SEALANT	TOOLING STATUS	ROW	QTY	BB	AA	POS.	PART NO.
SEALANT	NOT AVAILABLE	3	18	70	54.7	320	6-5353729-1
	NOT AVAILABLE	↑	↑	↑	48.7	280	6-↑-0
	NOT AVAILABLE	↓	↓	↓	42.7	240	5-↓-9
	NOT AVAILABLE	3	18	70	36.7	200	5-5353729-8
NON SEALANT	NOT AVAILABLE	3	18	70	54.7	320	1-5353729-1
	AVAILABLE	↑	↑	↑	48.7	280	1-↑-0
	NOT AVAILABLE	↓	↓	↓	42.7	240	↓-9
	NOT AVAILABLE	3	18	70	36.7	200	5353729-8

THIS DRAWING IS A CONTROLLED DOCUMENT.


DWN LEO ZHOU 17NOV04	CHK STEVEN YAO 17NOV04	NAME I.ENOMOTO
APVD I.ENOMOTO 17NOV04	PRODUCT SPEC 108-60047	APPLICATION SPEC 114-5255
MATERIAL	FINISH	WEIGHT
CUSTOMER DRAWING		

DWN LEO ZHOU 17NOV04		CHK STEVEN YAO 17NOV04		NAME I.ENOMOTO	
APVD I.ENOMOTO 17NOV04		PRODUCT SPEC 108-60047		APPLICATION SPEC 114-5255	
SIZE A3	CAGE CODE 00779	DRAWING NO G=5353729	RESTRICTED TO		
SCALE 1:2	SHEET 1 OF 3	REV B			





SOFT TRAY ASSY
FH 0.6BTB CONNECTOR
REC 4H W/G-CONT 2ROW TYPE

GENERAL TOLERANCE
-般公差
10 ≥: ±0.2
30 ≥: >10: ±0.25
100 ≥: >30: ±0.3
ANGLES: ±3°



TOLERANCES UNLESS OTHERWISE SPECIFIED:
-般公差
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

REVISIONS					
変更					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



REFERENCE P.C.BOARD LAYOUT

NOT AVAILABLE	52.6	51.8	50.6	47.4	50	54.7	54.7	320	1-5353729-1 & 6-5353729-1
AVAILABLE	46.6	45.8	44.6	41.4	44	48.7	48.7	280	1- -0 & 6- -0
NOT AVAILABLE	40.6	39.8	38.6	35.4	38	42.7	42.7	240	-9 & 5- -9
AVAILABLE	34.6	33.8	32.6	29.4	32	36.7	36.7	200	5353729-8 & 5-5353729-8
TOOLING STATUS	G	F	E	D	C	B	A	POS	PART NO.

- ① MATERIAL ; HOUSING : HIGH TEMP THERMO PLASTIC UL94V-0
CONTACT : COPPER ALLOY
- ② FINISH ; UNDER PL Ni 0.0013mm MIN ALL OVER.
CONTACT AREA 0.0002 MIN Au PL.
SOLDERING AREA
SIGNAL POS: 0.00005 MIN Au PL.
GROUND POS: 0.00005 MIN Au PL.
- ③ THIS POSITION IS GROUND CIRCUIT.
- ④ CAP HOUSING FOR ONLY 280P HAS THIS ORIENTATION FEATURE.
- ⑤ TRAY TYPE-1 AND TYPE-2 MUST BE PILED UP BY TURNS.
(REFER TO PACKING SPECIFICATIONS)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 单位: 耗 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	DWN	TE Connectivity Ltd. SOFT TRAY ASSY FH 0.6BTB CONNECTOR REC 4H W/G-CONT 2ROW TYPE
0 PLC ± -	1 PLC ± -	CHK	
2 PLC ± -	3 PLC ± -	APVD	
4 PLC ± -	ANGLES ± -	PRODUCT SPEC 製品規格	
MATERIAL 材料	FINISH 仕上	WEIGHT	NAME 名称
①	②	CUSTOMER DRAWING	SIZE A3
			CAGE CODE 00779
			DRAWING NO G=5353729
			RESTRICTED TO
			SCALE 尺度 2:1
			SHEET 2 OF 3
			REV B

4

3

2

1

© 1996 TE Connectivity. All Rights Reserved.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-

Technical drawing of a 280P connector. It shows a top and bottom view of a multi-pin connector. Dimensions are indicated above the top view: 6, 6, 6, 5.4, 6, 6, 6. The drawing shows a dense array of pins with a central gap.

280P

Technical drawing of a 240P connector. It shows a top and bottom view of a multi-pin connector. Dimensions are indicated above the top view: 6, 6, 5.4, 6, 6. The drawing shows a dense array of pins with a central gap.

240P

Technical drawing of a 320P connector. It shows a top and bottom view of a multi-pin connector. Dimensions are indicated above the top view: 6, 6, 6, 5.4, 6, 6, 6. The drawing shows a dense array of pins with a central gap.

320P

Technical drawing of a 200P connector. It shows a top and bottom view of a multi-pin connector. Dimensions are indicated above the top view: 6, 6, 5.4, 6, 6. The drawing shows a dense array of pins with a central gap.

200P

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity Ltd.	
DIMENSIONS: 單位: 耗 mm		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD		SOFT TRAY ASSY	
0 PLC ± -		PRODUCT SPEC		FH 0.6BTB CONNECTOR	
1 PLC ± -		APPLICATION SPEC		REC 4H W/G-CONT 2ROW TYPE	
2 PLC ± -		取付適用規格		SIZE CAGE CODE DRAWING NO	
3 PLC ± -		WEIGHT		A3 00779 C=5353729	
4 PLC ± -		CUSTOMER DRAWING		RESTRICTED TO	
ANGLES ± -		SCALE 3:1		SHEET 3 OF 3	
MATERIAL 材料		FINISH 仕上		REV B	

1470-19 (1/15)

Downloaded From Oneyac.com

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)