




LOC	DIST	REV	DATE	BY	APPD
AD	00	0	24NOV2010	DH	NL
		01	11APR2011	DH	JE




- 1. REFERENCE APPLICATION SPEC 114-13059 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.
- 2. MATERIAL:
CONTACT & SHIELD - PHOSPHOR BRONZE
HOUSING & CHICKLET - GLASS FILLED POLYESTER
- 3. FINISH:
CONTACT & SHIELD - 0.76µm MIN GOLD OVER
1.27µm MIN NICKEL IN MATING AREA, 0.5µm MIN TIN
OVER 1.27µm MIN NICKEL IN COMPLIANT PIN AREA.
- 4. CONNECTOR MARKED WITH PART NUMBER AND DATE CODE IN APPROXIMATE AREA SHOWN
- 5. DIMENSION APPLIES TO CENTERLINE OF THRU HOLE
- 6. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 7. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995

RECOMMENDED PC BOARD LAYOUT
 COMPONENT SIDE SHOWN
 SCALE 4:1



TOP SURFACE OF DAUGHTER CARD



		CONTACT LAYOUT									
		A = 4.50mm (DIM N)									
		B = 5.30mm (DIM N)									
		G = GROUND									
ROWS	COLUMNS	1	2	3	4	5	6	7	8	9	10
	DG	G	G	G	G	G	G	G	G	G	G
D	B	B	B	B	B	B	B	B	B	B	B
C	A	B	B	B	B	B	B	B	B	B	B
BG	G	G	G	G	G	G	G	G	G	G	G
B	B	B	B	B	B	B	B	B	B	B	B
A	B	B	B	B	B	B	B	B	B	B	B

1645596-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DW: D. HUMBERT 24NOV2010
 CHK: N. LEHMAN 24NOV2010
 APVD: N. LEHMAN 29NOV2010

TE Connectivity

NAME: HEADER ASSEMBLY, SELECTIVELY LOADED, RIGHT ANGLE, 2 PAIR, COPLANAR, HMZd

SIZE: A100779 C=1645596

SCALE: 6:1 SHEET 1 OF 1 REV 01

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)