





LOC		DIST		REVISIONS			
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		B		REVISED PER ECO-12-000118	17JAN12	KH	DY



⊕ ∅0.05Ⓢ X Y  
 ALL PLATED THRU HOLES

RECOMMENDED PC BOARD LAYOUT, BACKPLANE, COMPONENT SIDE SHOWN  
 SCALE 4:1

- 1 REFERENCE APPLICATION SPEC 114-13059 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.
- 2 MATERIAL:  
 CONTACT, SHIELD AND LATCH - PHOSPHOR BRONZE  
 HOUSING - GLASS FILLED POLYESTER
- 3 FINISH: SIGNAL AND GROUND CONTACTS:  
 MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF PRODUCT SPECIFICATION 108-2055; BASED ON TELCORDIA GR-1217-CORE, APPLICATIONS IN UNCONTROLLED ENVIRONMENTS  
 COMPLIANT PIN AREA: 0.5 μm MIN MATTE TIN OVER BASE PLATING
- 4 CONNECTOR MARKED WITH PART NUMBER AND DATE CODE ON FAR SIDE.
- 5 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 THE FOUR GROUNDS IN EACH COLUMN ARE COMMONED.
- 7. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995.

3.80	6469105-2
5.30	6469105-1
DIM M	PART NUMBER

**THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING**

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.J.MAGARO 17JUL2004	TE Connectivity	
DIMENSIONS: mm		CHK R.A.PATTERSON 17JUL2004		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME	
9 PLC ±			PRODUCT SPEC	
3 PLC ±			APPLICATION SPEC	
5 PLC ±			SIZE CAGE CODE DRAWING NO	
4 PLC ±			WEIGHT	
ANGLES ±			CUSTOMER DRAWING	
FINISH			SCALE 8:1 SHEET 1 OF 1 REV B	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)