






| LOC | DIST | REV | DESCRIPTION | DATE | DWN | APVD |
|-----|------|-----|-------------------------------|-----------|-----|------|
| AD | 00 | A | CREATED BY AUTOMATION PROGRAM | 20JAN2012 | BC | DY |



- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD ON PCB TAILS, NICKEL OVERALL.
- 4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- 5 FOR GROUNDED GUIDE PIN USE $\varnothing 3.56 \pm 0.08$ PTH, $\varnothing 3.66$ DRILL, AND $\varnothing 6.5$ PAD.
- 6. KEYING PIN SHOWN IN POSITION A. SEE KEYING CHART ON SHEET 2 FOR OTHER POSITIONS.



RIGHT GUIDED BACKPLANE HOLE PATTERN (CONNECTOR SIDE)




| | | | | |
|--|--|---|----------------|-----------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN: B. CARBO | 20JAN2012 | STE TE Connectivity |
| DIMENSIONS: mm | | CHK: D.YI | 20JAN2012 | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD: D.YI | 20JAN2012 | |
| 9 PLC ± | | NAME: IMPACT, 4 PAIR, 12 COLUMN, HEADER | | |
| 1 PLC ±0.25 | | PRODUCT SPEC: - | | RIGHT GUIDED, LEFT END WALL |
| 3 PLC ±0.13 | | APPLICATION SPEC: - | | SIGNAL MODULE, 0.39 PTH |
| 5 PLC ± | | SIZE: CAGE CODE DRAWING NO: A1100779 | REV: C=2149997 | RESTRICTED TO: - |
| 4 PLC ± | | WEIGHT: - | | |
| ANGLES ± | | CUSTOMER DRAWING | SCALE: 6:1 | SHEET: 1 OF 2 |
| FINISH: SEE TABLE | | | | REV: A |

| LOC | | DIST | | REVISIONS | | | |
|-----|----|------|-----|-------------|------|-----|------|
| AD | 00 | P | LTB | DESCRIPTION | DATE | DWN | APVD |
| | | - | - | SEE SHEET 1 | - | - | - |
| | | | | | | | |
| | | | | | | | |

| 3 | H | 5.5 | 8-2149997-6 |
|--------|--------------|-------|-------------|
| 3 | H | 4.9 | 8-2149997-5 |
| 3 | H | 4.5 | 8-2149997-4 |
| 2 | H | 5.5 | 8-2149997-3 |
| 2 | H | 4.9 | 8-2149997-2 |
| 2 | H | 4.5 | 8-2149997-1 |
| 3 | G | 5.5 | 7-2149997-6 |
| 3 | G | 4.9 | 7-2149997-5 |
| 3 | G | 4.5 | 7-2149997-4 |
| 2 | G | 5.5 | 7-2149997-3 |
| 2 | G | 4.9 | 7-2149997-2 |
| 2 | G | 4.5 | 7-2149997-1 |
| 3 | F | 5.5 | 6-2149997-6 |
| 3 | F | 4.9 | 6-2149997-5 |
| 3 | F | 4.5 | 6-2149997-4 |
| 2 | F | 5.5 | 6-2149997-3 |
| 2 | F | 4.9 | 6-2149997-2 |
| 2 | F | 4.5 | 6-2149997-1 |
| 3 | E | 5.5 | 5-2149997-6 |
| 3 | E | 4.9 | 5-2149997-5 |
| 3 | E | 4.5 | 5-2149997-4 |
| 2 | E | 5.5 | 5-2149997-3 |
| 2 | E | 4.9 | 5-2149997-2 |
| 2 | E | 4.5 | 5-2149997-1 |
| 3 | D | 5.5 | 4-2149997-6 |
| 3 | D | 4.9 | 4-2149997-5 |
| 3 | D | 4.5 | 4-2149997-4 |
| 2 | D | 5.5 | 4-2149997-3 |
| 2 | D | 4.9 | 4-2149997-2 |
| 2 | D | 4.5 | 4-2149997-1 |
| 3 | C | 5.5 | 3-2149997-6 |
| 3 | C | 4.9 | 3-2149997-5 |
| 3 | C | 4.5 | 3-2149997-4 |
| 2 | C | 5.5 | 3-2149997-3 |
| 2 | C | 4.9 | 3-2149997-2 |
| 2 | C | 4.5 | 3-2149997-1 |
| 3 | B | 5.5 | 2-2149997-6 |
| 3 | B | 4.9 | 2-2149997-5 |
| 3 | B | 4.5 | 2-2149997-4 |
| 2 | B | 5.5 | 2-2149997-3 |
| 2 | B | 4.9 | 2-2149997-2 |
| 2 | B | 4.5 | 2-2149997-1 |
| 3 | A | 5.5 | 1-2149997-6 |
| 3 | A | 4.9 | 1-2149997-5 |
| 3 | A | 4.5 | 1-2149997-4 |
| 2 | A | 5.5 | 1-2149997-3 |
| 2 | A | 4.9 | 1-2149997-2 |
| 2 | A | 4.5 | 1-2149997-1 |
| 3 | - | 5.5 | 2149997-6 |
| 3 | - | 4.9 | 2149997-5 |
| 3 | - | 4.5 | 2149997-4 |
| 2 | - | 5.5 | 2149997-3 |
| 2 | - | 4.9 | 2149997-2 |
| 2 | - | 4.5 | 2149997-1 |
| FINISH | KEY POSITION | DIM M | PART NUMBER |

REFER TO WWW.TE.COM FOR PRODUCT AVAILABILITY



| | | | |
|--|--|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN B. CARBO 20JAN2012 | TE TE Connectivity |
| DIMENSIONS: mm | | CHK D.YI 20JAN2012 | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD D.YI 20JAN2012 | |
| 9 PLC ± 8 PLC ±0.25 5 PLC ±0.13 4 PLC ± ANGLES ± FINISH SEE TABLE | | NAME IMPACT, 4 PAIR, 12 COLUMN, HEADER RIGHT GUIDED, LEFT END WALL SIGNAL MODULE, 0.39 PTH PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING | RESTRICTED TO SIZE CAGE CODE DRAWING NO. A100779C=2149997 SCALE 5:1 SHEET 2 OF 2 REV A |

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)