



MATERIAL: HOUSING, BRACKET, ADAPTER COMB AND TERMINAL SUPPORT PLATE - THERMOPLASTIC (BLACK). EMI SHIELD - BRIGHT NICKEL OVER COPPER PLATED DIE CASTING. TERMINALS-TAILS-TIN LEAD OVER NICKEL PLATED HIGH STRENGTH COPPER ALLOY. MATING SURFACE-LOCALIZED GOLD OVER NICKEL PLATED HIGH STRENGTH COPPER ALLOY.

- THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.
- CENTER-TO-CENTER SPACING OF TERMINALS IS .085.
- ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.
- DETAILS A & B ARE VIEWED FROM MATING SIDE OF RECEPACLE ASSEMBLY.
- TERMINAL 1 LOCATED IN THIS ROW FOR STANDARD ORIENTATION.
- TERMINAL 1 LOCATED IN THIS ROW FOR REVERSE ORIENTATION.
- SCREWS SHOWN FOR REFERENCE ONLY. RECOMMENDED HARDWARE KIT, 55427Z-1, FOR USE WITH PART NUMBER 553811-3 & 4. HARDWARE KIT IS SHOWN FOR REFERENCE ONLY.
- EMI SHIELD IS ASSEMBLED TO CONNECTOR BEFORE SHIPMENT.
- FOR IEEE APPLICATION DIM. A SHALL BE .192 ± .003.
- PANEL THICKNESS RANGE: .062 MAX.
- STAINLESS STEEL SCREWS RECOMMENDED. BECAUSE OF CONTACT WITH SOLDER BATH.
- HOLES TO BE TAPPED AFTER PLATING.

APPLICATION	DIM. B	DIM. A	SHIELD HOLE SIZE	ORIENTATION	DETAIL	PART NO
STANDARD	.126 ± .003		UNC-28	REVERSE	B	553811-4
IEEE-488	.152 ± .003		UNC-28	REVERSE	B	553811-3
			UNC-28	STANDARD	A	553811-2
				STANDARD	A	553811-1

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. TOLERANCES ± DECIMALS ± ANGLES		CONTRACT NO. 7-26-82		AMP INCORPORATED Harrisburg, Pa. 17105	
MATERIAL	FINISH	OR	DATE	APPROVED	DATE
		Q. Mod	7-26-82	MD	8-4-82
		APP'D	11-10-82	APP'D	9-1-82
		OSGN APP'D		OSGN APP'D	
		OTHER APP'D		OTHER APP'D	
NAME ASSEMBLY, EMI RECEPACLE, 24 POSITION, SCREW LOCK (CHAMP, PRINTED CIRCUIT BOARD, RIGHT ANGLE, PANEL MOUNTING)		SIZE	FSGN NO	DRAWING NO	SCALE
		D	00779	553811	2:1
		SHEET 1 OF 1		CUSTOMER DRAWING	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)