






- ① HOUSING MATERIAL: GLASS-FILLED POLYMER.
- ② POST MATERIAL: COPPER ALLOY.
- ③ POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- ④ MARKING ON THIS SIDE.
- ⑤ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- ⑥ PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.



PC BOARD LAYOUT

-	1-16	C	16	148714-1	
-	1-16	B	16		
1,14	2-13,15,16	A	16		
POSITIONS LOADED WITH 4.93 [.194] CONTACTS	POSITIONS LOADED WITH 4.16 [.164] CONTACTS	ROWS	NO. OF LOADED POSITION	ASSY PART NUMBER	
THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN D. HUMBERT 02APR2009 CIK D. BRATINA 02APR2009		Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME: ASSEMBLY, PIN, EUROCARD, TYPE 1/2C, 48 POSITION, 3.30 [.130] SOLDER POST W/MFBL CONTACTS	
① ± -		0 PLC ± -		SIZE: A1	
② ± -		1 PLC ± -		CAGE CODE: 00779	
③ ± 0.13 [.005]		2 PLC ± 0.13 [.005]		DRAWING NO: 148714	
④ ± -		3 PLC ± -		RESTRICTED TO:	
⑤ ± -		4 PLC ± -		SCALE: 5:1	
⑥ ± -		ANGLES ± -		SHEET 1 OF 1	
MATERIAL: ① ②		FINISH: ③		REV: A	
WEIGHT: -		CUSTOMER DRAWING			

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)