





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
C1		ECR-19-014657	13DEC2020	RR	SZ

- MATERIAL: HOUSING - HIGH TEMPERATURE NYLON, COLOR: BLACK, UL 94-V0
OVERMOLDED TERMINAL ARRAY - PBT, BROWN
TERMINALS - 0.33[.013] THICK PHOS BRONZE
PLATED WITH 1.27 μ m[.000050] MINIMUM THICK
HARD GOLD IN LOCALIZED AREA AND 3.81 μ m
[.000150] MINIMUM THICK MATTE TIN IN SOLDER
AREA OVER 1.27 μ m[.000050] MINIMUM THICK
NICKEL UNDERPLATE.

$\triangle 2$ JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.

$\triangle 3$ USE #30 DRILL BIT OR 3.25mm DRILL BIT WHEN PRODUCING THESE PCB HOLES.



SUGGESTED PANEL CUTOUT

SUGGESTED PC BOARD LAYOUT COMPONENT SIDE

3.05±0.38 [.120±.015]	6116518-2
3.56±0.38 [.140±.015]	6116518-1
DIM "A"	
PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	21MAY2005	DL DRUMMOND/L.A.MAYER	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK	21MAY2005	J.WESTMAN	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	21MAY2005	S.FLICKINGER	PRODUCT SPEC	
0 PLC	± -	APPLICATION SPEC		108-1163-2	MODULAR JACK ASSEMBLY, 8 POSITION, RIGHT ANGLE, LOW PROFILE, CATEGORY 5e	
1 PLC	± -	MATERIAL		114-2048	SIZE	CAGE CODE
2 PLC	± 0.25[.010]	FINISH		0.000000	A2	00779
3 PLC	± -	SEE NOTE 1		CUSTOMER DRAWING	DRAWING NO	
4 PLC	± -	SEE NOTE 1		SCALE	SHEET	
ANGLES	± -	SEE NOTE 1		4:1	1 OF 1	
MATERIAL		FINISH		REV		C1
SEE NOTE 1		SEE NOTE 1		REV		C1

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)