


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
AJ	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	REV PER ECO 06-016771	1/18/2007	DW	KW



ELECTRICAL	MECHANICAL	ENVIRONMENTAL
Nominal Impedance (Ohms) <u>50</u>	Interface Dimensions MIL-STD-348	Temperature Rating <u>-65°C to +165°C</u>
Frequency Range (GHz) <u>DC to 6.0</u>	Mating Characteristics:	Vibration MIL-STD-202, Method 204,
Volt Rating (VRMS MAX)	Insertion (MAX Lbs) <u>3.4</u>	Condition B
@ Sea Level <u>500</u>	Withdrawal (MIN Oz) <u>1.77MIN-4.50 MAX</u>	Shock MIL-STD-202, Method 107,
VSWR <u>N/A</u>	Center Contact Captivation:	Condition B
Insertion Loss (dB MAX) <u>N/A</u>	Axial (Lbs) <u>1.5LBS @ 1 MIN.</u>	Thermal Shock MIL-STD-202, Method 107,
RF Leakage (dB MIN) (Interface Only	WITH <u>.006" DISPLACEMENT</u>	Condition B
Fully Mated) <u>N/A</u>	Cable Retention:	Except High Temperature <u>N/A</u>
Corona 70.000 FI (VRMS MIN) <u>250</u>	Axial Force (Lbs) <u>N/A</u>	Moisture Resistance MIL-STD-202,
Dielectric Withstanding Voltage	Torque (In/Oz) <u>N/A</u>	Method 106
(VRMS MIN) @ Sea Level <u>1000</u>	Weight (Grams) <u>N/A</u>	Corrosion MIL-STD-202, Method 101,
Contact Resistance (MilliOhms MAX)		Condition B @48 HOURS
Center Contact <u>5.0</u>		
Outer Contact <u>1.0</u>		
Cable to Housing <u>0.5</u>		
RF High Potential @ Sea Level		
(VRMS MIN @ 5 MHz) <u>670</u>		
I.R. (MegaOhmz MIN) <u>10,000</u>		

HOUSING	BRASS PER ASTM-B-16 HALF HARD	TIN PLATE PER ASTM-B-545
DIELECTRIC	PTFE FLUOROCARBON PER ASTM-D-1457	-
CENTER CONTACT	BE-CU PER ASTM-B-196, ALLOY C17300, CONDITION H	GOLD PLATE PER MIL-G-45204
COMPONENT	MATERIAL	FINISH

6061002-1  
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES [mm]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN L. VARELA - DOCK5 01FEB2005	Tyco Electronics Corporation Harrisburg, PA 17105-3608
	0 PLC ± -	CHK J. HAVENER 01FEB2005	
	1 PLC ± -	APVD K. WEIDNER 01FEB2005	
	2 PLC ± -		
	3 PLC ± .005		NAME
	4 PLC ± -		PRODUCT SPEC
	ANGLES ± 1°		APPLICATION SPEC
MATERIAL SEE TABLE	FINISH SEE TABLE	WEIGHT -	SIZE
			CAGE CODE
			DRAWING NO
			RESTRICTED TO
			A300779
			C=6061002
			CUSTOMER DRAWING
			SCALE 5:1
			SHEET 1 OF 1
			REV A

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)