



REVISIONS				
REV	LTN	DESCRIPTION	DATE	APVD
F		REV PER ECO-18-005973	17JUL2018	MY GF
G		REV PER ECO-19-001055	25JAN2019	dw GF
H		REV PER ECO-20-002055	13FEB2020	AP GF
J		REV PER ECO-21-005288	02AUG2021	KK KK



1. CHARACTERISTIC IMPEDANCE: 100±10 OHMS (MEASURED DIFFRENTIALLY)

△ LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -6): -1 SHOWN




3. SEE SHEET 2 FOR WIRING SCHEMATIC.

4. ROHS COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE CONNECTIVITY SPECIFICATION TEC-138-702.

△ TEST IN ACCORDANCE WITH IEEE802.3by.

△ DUE TO SHORT CABLE LENGTH, THE PART NUMBERS INDICATED MAY NOT MEET IEEE802.3by RETURN LOSS AND MINIMUM INSERTION LOSS LIMITS.

△ LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -46): -41 SHOWN



△ DASH NUMBER 41 THRU 46 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.


△8	30 AWG	300 +50/-0	4-2821222-6
	30 AWG	2000 +80/-0	4-2821222-5
	30 AWG	1500 +80/-0	4-2821222-4
	30 AWG	1000 +50/-0	4-2821222-3
	30 AWG	750 +50/-0	4-2821222-2
△5	30 AWG	500 +50/-0	4-2821222-1
	30 AWG	2500 +80/-0	2821222-6
	30 AWG	△500 +50/-0	2821222-5
	30 AWG	1500 +80/-0	2821222-4
	30 AWG	1000 +50/-0	2821222-3
	30 AWG	2000 +80/-0	2821222-2
30 AWG	3000 +80/-0	2821222-1	
STANDARD	WIRE GAGE	L	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	OWN T. SMITH 11APR2017	CHK E. CUESTA 11APR2017	APVD E. CUESTA 11APR2017	NAME CABLE ASSEMBLY, 30 AWG, SFP+ TO SFP+ 28G
mm	0 PLC ±			PRODUCT SPEC	SIZE A1
	1 PLC ±			APPLICATION SPEC	CAGE CODE -
	2 PLC ±			WEIGHT	DRAWING NO C=2821222
	3 PLC ±			CUSTOMER DRAWING	RESTRICTED TO
	4 PLC ±			SCALE 2:1	SHEET 1 OF 2
	ANGLES ±			REV J	
	FINISH				

TE Connectivity

REVISIONS				
P	LTN	DESCRIPTION	DATE	OWN
		SEE SHEET 1		



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN T. SMITH 11APR2017		
DIMENSIONS:		CHK E. CUESTA 11APR2017		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD E. CUESTA 11APR2017	NAME CABLE ASSEMBLY, 30 AWG, SFP+ TO SFP+ 28G	
0 PLC ±	1 PLC ±	PRODUCT SPEC	SIZE A1	
2 PLC ±	3 PLC ±	APPLICATION SPEC	CAGE CODE -	
4 PLC ±	ANGLES ±	WEIGHT	DRAWING NO C=2821222	
FINISH		CUSTOMER DRAWING	RESTRICTED TO	
SCALE 2:1			SHEET 2 OF 2	
			REV J	

单击下面可查看定价，库存，交付和生命周期等信息

[>>TE Connectivity\(泰科\)](#)